

#### INTERNATIONAL

Intex Development Co., Ltd.  
9th Floor, Everbright Centre,  
108 Gloucester Road, Wanchai,  
Hong Kong  
Tel: (852) 2827-0000  
Fax: (852) 2311-8200  
E-mail: [info@intexdevelopment.com](mailto:info@intexdevelopment.com)  
Web: [www.intexdevelopment.com](http://www.intexdevelopment.com)

#### USA

Intex Recreation Corp.  
P.O. Box 1440,  
Long Beach, CA 90801-1440, USA  
Tel: (310) 549-5400  
Fax: (310) 513-6905  
Web: [www.intexcorp.com](http://www.intexcorp.com)

#### EUROPE

Intex Trading B.V.  
Venneveld 9  
4705 RR Roosendaal,  
The Netherlands  
Tel: (31) 165-593920  
Fax: (31) 165-593969  
E-mail: [info@intexcorp.nl](mailto:info@intexcorp.nl)  
Web: [www.intexcorp.nl](http://www.intexcorp.nl)

Intex Trading s.r.o.  
Benešovská 23  
101 00 Praha 10  
Czech Republic  
Tel: (420) 267 312 645  
Fax: (420) 267 312 552  
E-mail: [info@intexcorp.cz](mailto:info@intexcorp.cz)  
Web: [www.intexdevelopment.com](http://www.intexdevelopment.com)

Unitex Service (France) S.A.S.  
Z.A. de Milleure Bois du Ban - N°4  
71480 LE MIROIR, France  
Tel: (33) 385 75 64 64  
Fax: (33) 385 75 64 65  
E-mail: [info@intexcorp.com.fr](mailto:info@intexcorp.com.fr)  
Web: [www.intex.fr](http://www.intex.fr)

**AGP**  
ABOVE GROUND POOLS 2020

**INTEX**

©2019 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Recreation Corp.  
All rights reserved. • Printed in China  
®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to  
Intex Development Co., Ltd., G.P.O. Box 28829, Hong Kong,  
and Intex Recreation Corp., P.O. Box 1440, Long Beach, CA 90801.



**INTEX®**

*dive into* SUMMER  
**2020**

**AGP**  
ABOVE GROUND POOLS





Intex Manufacturing and Distribution Complex, Xiamen, China

# ABOUT US

The Intex Family of companies is dedicated to developing and manufacturing the highest quality products that not only provide the best value in price, but are innovative, fun and exciting. Backed by excellent Customer Service, Intex also provides first-rate after sales support. The 100+ independently owned and locally operated companies that make up the Intex Family, all embrace this commitment to quality, service and price and are committed to working together to ensure the satisfaction of the families and individuals in countries across the globe who enjoy these products. This has become the hallmark of Intex around the world.

As a true industry leader, Intex boasts state of the art factories, trained and motivated people, products that meet rigorous testing requirements, and a Customer Service organization that will go extra lengths to ensure our customers are satisfied and happy with their purchases.

When you purchase an Intex product you can be confident that you are buying the best product, at the best price, backed by the best Customer Service organization in the industry.



Intex Recreation Corp., Long Beach, CA, USA



Intex Development Co. Ltd., Hong Kong



Unitex Service (France) S.A.S., France



Intex Trading B.V., The Netherlands



Intex Administration Building Landscape, Xiamen, China

# 2020

Intex is committed to delivering top quality products at a great value with the backing of a responsive Customer Service organization. Our above ground pool line begins with our world famous Easy Set® pools that are great for families purchasing their first pool, to our upscale Prism Frame™ pools that are an attractive step up, to our deluxe Ultra XTR™ Frame pools that are beautiful, incredibly strong and large enough for the whole neighborhood to swim in! And no pool is complete without accessories. That's why Intex provides a full line, including sand filters, saltwater systems, filter pumps, cartridges and much more that will extend your customers' swimming season and keep them coming back for more. Ask your Intex representative for any of our product catalogs – we are confident that you will agree that Intex's product line-up is unmatched in meeting your needs.





# CONTENTS

## THE LEADER IN ABOVE GROUND POOLS

INTEX PROVIDES THE BROADEST, MOST INNOVATIVE LINE OF ABOVE GROUND POOLS IN THE WORLD.



**SMALL FRAME POOLS**  
The perfect pools for younger children and small yards. Easy to assemble, easy to manage. Available in multiple sizes and fun colors. **08**



**EASY SET® POOLS**  
Some of the easiest family & friend-size pools in the world to set up and enjoy! A fantastic value as well as the perfect pool for young families. **10**



**METAL FRAME POOLS**  
The “classic” backyard line of pools. Built with solid, yet easy to assemble frames, these pools come in a broad range of sizes. Great for families, friends, and the whole neighborhood! **14**



**PRISM FRAME™ PREMIUM POOLS**  
This stylish pool line offers a premium pool experience at an affordable price. The soft gray exterior and the elegant blue tile print interior provide an upscale look to complement modern backyard patio décor and furniture. **16**



**GRAPHITE GRAY PANEL™ POOL**  
Dress up your backyard with our beautiful Graphite Gray Panel™ Pool. This easy to assemble extruded panel system wraps around your Metal Frame Pool, adding beauty and elegance to your backyard landscape. **24**



**ULTRA XTR™ FRAME POOLS**  
These pools are the ultimate: big, beautiful, elegant and easy to set up and maintain. Their unique frame design makes them even stronger than standard Metal Frame Pools – built to enjoy and impress! **26**



**KRYSTAL CLEAR® POOLWATER SYSTEMS**  
Intex's line of above ground pool cleaning systems are the most innovative and broadest in the market. It keeps pool water clean and fresh all summer long. **30**



**POOL ACCESSORIES**  
From pool maintenance kits to ground cloths and pool covers, these accessories help make owning a pool easy and convenient. **40**



**LED LIGHTS**  
LED lights are easy to use and let you enjoy your pool at night. **52**



# HYDRO AERATION TECHNOLOGY™

Intex® is proud to introduce our innovative Hydro Aeration Technology™ – transforming the Above Ground Pool industry, by bringing revolutionary water aeration techniques into your backyard above ground pool.

Precision engineered to fine tune our line of filtration systems, Hydro Aeration Technology™ has been incorporated into all our cartridge filter pumps, all sand filter pumps, and all combination filtration systems.



## IMPROVED CIRCULATION AND FILTRATION

Fine particles in water clump together and settle to the bottom of the pool during the aeration process, making it easier to filter and remove sediments through the filtration system. The improved filtration and circulation make the pool water healthier and more comfortable.



## IMPROVED WATER CLARITY

By mixing air with water, the aeration process induces oxidation of iron and manganese, eliminating staining in water. The result is sparkling pool water that looks and feels great!



## INCREASED NEGATIVE IONS AT THE WATER SURFACE

Increased negative ions have been proven to improve the air freshness around the pool as it removes air pollutants and neutralizes free radicals that affect air quality.



Without Hydro Aeration Technology™



With Hydro Aeration Technology™






# SMALL FRAME POOLS

## ESCAPE THE SUMMER HEAT

Intex's range of Rectangular Frame pools are the perfect starter pools for smaller spaces and families. Supported by strong, durable steel frames and laminated sidewalls, these pools are sturdy and will stay firmly in place. Easy to assemble, these pools are ready for water in just 30 minutes. Added features include a convenient drain plug and connection holes for optional filter pumps. Make a splash and enjoy your backyard summer retreat!



PUNCTURE-RESISTANT  
3-PLY MATERIAL

English and multi-language international packaging available

Rectangular Frame Pools: Ages 6+



### MINI FRAME™ POOL

Looking for the first frame pool for growing children? Intex's Mini Frame™ pool is the perfect solution! This easy to assemble, sturdy pool is an ideal size and depth for younger children.

| SPECIFICATIONS                                                                                                                             | ITEM#        | CASE PACK  | CASE WEIGHT       |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|-------------------|
| 4' x 4' x 12"<br>(1.22m x 1.22m x 30cm)<br>Approximate set-up size<br>Water Capacity (79%): 90 gal (342L)<br>Ready for Water in 10 Minutes | 57173NP / EP | 3 ea 1 box | 28.5 lb (13.0 kg) |



English and multi-language international packaging available

Mini Frame™ Pools: Ages 2+

### RECTANGULAR FRAME POOLS

| SPECIFICATIONS                                                                                                                    | ITEM#   | WATER CAPACITY (90%) | READY FOR WATER IN | CASE PACK  | CASE WEIGHT       |
|-----------------------------------------------------------------------------------------------------------------------------------|---------|----------------------|--------------------|------------|-------------------|
| 7'2 <sup>5</sup> / <sub>8</sub> " x 4'11" x 23 <sup>5</sup> / <sub>8</sub> "<br>(2.20m x 1.50m x 60cm)<br>Approximate set-up size | 28270NP | 439 gal (1,662L)     | 30 Minutes         | 1 ea 1 box | 34.4 lb (15.7 kg) |
|                                                                                                                                   | 28270EH | 439 gal (1,662L)     | 30 Minutes         | 1 ea 1 box | 37.2 lb (16.9 kg) |
| 8'6 <sup>1</sup> / <sub>2</sub> " x 5'3" x 25 <sup>5</sup> / <sub>8</sub> "<br>(2.60m x 1.60m x 65cm)<br>Approximate set-up size  | 28271NP | 603 gal (2,282L)     | 30 Minutes         | 1 ea 1 box | 38.5 lb (17.5 kg) |
|                                                                                                                                   | 28271EH | 603 gal (2,282L)     | 30 Minutes         | 1 ea 1 box | 41.1 lb (18.7 kg) |
| 9'10" x 6'6 <sup>3</sup> / <sub>4</sub> " x 29 <sup>1</sup> / <sub>2</sub> "<br>(3.00m x 2.00m x 75cm)<br>Approximate set-up size | 28272NP | 1,013 gal (3,834L)   | 30 Minutes         | 1 ea 1 box | 45.5 lb (20.7 kg) |
|                                                                                                                                   | 28272EH | 1,013 gal (3,834L)   | 30 Minutes         | 1 ea 1 box | 48.0 lb (21.8 kg) |
| 14'9 <sup>1</sup> / <sub>4</sub> " x 7'2 <sup>5</sup> / <sub>8</sub> " x 33"<br>(4.50m x 2.20m x 84cm)<br>Approximate set-up size | 28273NP | 1,883 gal (7,127L)   | 30 Minutes         | 1 ea 1 box | 86.2 lb (39.2 kg) |
|                                                                                                                                   | 28273EH | 1,883 gal (7,127L)   | 30 Minutes         | 1 ea 1 box | 88.0 lb (40.0 kg) |



# EASY SET® POOLS

## EXPERIENCE THE ULTIMATE SUMMER

Make a splash all summer long with Intex Easy Set® extensive line of pools. These pools are incredibly easy to assemble, easy to maintain, and fun to own. Simply spread out on level ground, inflate the top ring, fill the pool with water, and enjoy the fun.

These are the pools that revolutionized the industry, allowing millions of families to enjoy backyard swimming. Nobody has built more of them, or understands them better than Intex.



PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Easy Set® Pools: Ages 6+



| SPECIFICATIONS                                                                                                              | ITEM#   | CASE PACK  | CASE WEIGHT      |
|-----------------------------------------------------------------------------------------------------------------------------|---------|------------|------------------|
| 6' x 20" (1.83m x 51cm)<br>Approximate set-up size<br>Water Capacity (80%): 232 gal (880L)<br>Ready for Water in 10 Minutes | 28101NP | 2 ea 1 box | 14.7 lb (6.7 kg) |
|                                                                                                                             | 28101EH | 2 ea 1 box | 19.1 lb (8.7 kg) |

| SPECIFICATIONS                                                                                                                | ITEM#   | VOLTAGE           | FILTER PUMP      | CASE PACK  | CASE WEIGHT      |
|-------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|------------------|------------|------------------|
| 8' x 30" (2.44m x 76cm)<br>Approximate set-up size<br>Water Capacity (80%): 639 gal (2,419L)<br>Ready for Water in 10 Minutes | 28110NP | –                 | –                | 1 ea 1 box | 13.2 lb (6.0 kg) |
|                                                                                                                               | 28110EH | –                 | –                | 1 ea 1 box | 15.2 lb (6.9 kg) |
|                                                                                                                               | 28111   | 110–120V          | 330 gal (1,250L) | 1 ea 1 box | 17.6 lb (8.0 kg) |
|                                                                                                                               | 28111EH | 110–120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1 box | 19.8 lb (9.0 kg) |
|                                                                                                                               | 28112NP | 220–240V          | 330 gal (1,250L) | 1 ea 1 box | 18.7 lb (8.5 kg) |
|                                                                                                                               | 28112GN | 12V               | 330 gal (1,250L) | 1 ea 1 box | 19.3 lb (8.8 kg) |

|                                                                                                                                  |         |                   |                  |            |                   |
|----------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|------------------|------------|-------------------|
| 10' x 30" (3.05m x 76cm)<br>Approximate set-up size<br>Water Capacity (80%): 1,018 gal (3,853L)<br>Ready for Water in 10 Minutes | 28120NP | –                 | –                | 1 ea 1 box | 18.0 lb (8.2 kg)  |
|                                                                                                                                  | 28120EH | –                 | –                | 1 ea 1 box | 20.0 lb (9.1 kg)  |
|                                                                                                                                  | 28121   | 110–120V          | 330 gal (1,250L) | 1 ea 1 box | 22.7 lb (10.3 kg) |
|                                                                                                                                  | 28121EH | 110–120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1 box | 24.6 lb (11.2 kg) |
|                                                                                                                                  | 28122NP | 220–240V          | 330 gal (1,250L) | 1 ea 1 box | 23.7 lb (10.8 kg) |
|                                                                                                                                  | 28122GN | 12V               | 330 gal (1,250L) | 1 ea 1 box | 24.2 lb (11.0 kg) |

|                                                                                                                                  |         |                   |                  |            |                   |
|----------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|------------------|------------|-------------------|
| 12' x 30" (3.66m x 76cm)<br>Approximate set-up size<br>Water Capacity (80%): 1,485 gal (5,621L)<br>Ready for Water in 10 Minutes | 28130NP | –                 | –                | 1 ea 1 box | 24.9 lb (11.3 kg) |
|                                                                                                                                  | 28130EH | –                 | –                | 1 ea 1 box | 26.6 lb (12.1 kg) |
|                                                                                                                                  | 28131   | 110–120V          | 530 gal (2,006L) | 1 ea 1 box | 30.6 lb (13.9 kg) |
|                                                                                                                                  | 28131EH | 110–120V (W/GFCI) | 530 gal (2,006L) | 1 ea 1 box | 32.8 lb (14.9 kg) |
|                                                                                                                                  | 28132NP | 220–240V          | 530 gal (2,006L) | 1 ea 1 box | 32.6 lb (14.8 kg) |
|                                                                                                                                  | 28132GN | 12V               | 600 gal (2,271L) | 1 ea 1 box | 33.9 lb (15.4 kg) |



#28101



The 330 gal (1,250L) cartridge filter pump is included in 8' (2.44m) and 10' (3.05m) Easy Set® pool sets and keeps pools fresh and clean all summer!



PUNCTURE-RESISTANT  
3-PLY MATERIAL

6' x 20" (1.83m x 51cm)  
Easy Set® Pools: Ages 3+




# EASY SET® POOLS

## THE PERFECT POOL FOR YOUNG FAMILIES

Incredibly easy to assemble, easy to maintain, and fun to own, Intex's broad line of Easy Set® pools include a range of accessories that will keep your pool clean and enhance your swimming pool ownership experience.

Intex Easy Set® pools offer a selection of heights that grow with your family. Choose the right size that best fits your family or your backyard, for a summer to remember!



PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Easy Set® Pools: 6+



| SPECIFICATIONS                                                                                                                          | ITEM#   | VOLTAGE           | FILTER PUMP      | CASE PACK  | CASE WEIGHT       |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|------------------|------------|-------------------|
| <b>13' x 33" (3.96m x 84cm)</b><br>Approximate set-up size<br>Water Capacity (80%): 1,926 gal (7,290L)<br>Ready for Water in 10 Minutes | 28143NP | –                 | –                | 1 ea 1 box | 31.5 lb (14.3 kg) |
|                                                                                                                                         | 28143EH | –                 | –                | 1 ea 1 box | 33.4 lb (15.2 kg) |
|                                                                                                                                         | 28141   | 110–120V          | 530 gal (2,006L) | 1 ea 1 box | 37.4 lb (17.0 kg) |
|                                                                                                                                         | 28141EH | 110–120V (W/GFCI) | 530 gal (2,006L) | 1 ea 1 box | 39.6 lb (18.0 kg) |
|                                                                                                                                         | 28142NP | 220–240V          | 530 gal (2,006L) | 1 ea 1 box | 39.2 lb (17.8 kg) |
|                                                                                                                                         | 28142GN | 12V               | 600 gal (2,271L) | 1 ea 1 box | 40.5 lb (18.4 kg) |
| <b>15' x 33" (4.57m x 84cm)</b><br>Approximate set-up size<br>Water Capacity (80%): 2,587 gal (9,792L)<br>Ready for Water in 15 Minutes | 28157   | 110–120V          | 530 gal (2,006L) | 1 ea 1 box | 46.4 lb (21.1 kg) |
|                                                                                                                                         | 28157EH | 110–120V (W/GFCI) | 530 gal (2,006L) | 1 ea 1 box | 48.6 lb (22.1 kg) |
|                                                                                                                                         | 28158NP | 220–240V          | 530 gal (2,006L) | 1 ea 1 box | 49.5 lb (22.5 kg) |
|                                                                                                                                         | 28158GN | 12V               | 600 gal (2,271L) | 1 ea 1 box | 49.5 lb (22.5 kg) |




| SPECIFICATIONS                                                                                                                            | ITEM#   | VOLTAGE           | FILTER PUMP        | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT        |
|-------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|--------------------|--------|---------------|--------------|------------|------------|--------------------|
| <b>15' x 42" (4.57m x 1.07m)</b><br>Approximate set-up size<br>Water Capacity (80%): 3,284 gal (12,430L)<br>Ready for Water in 15 Minutes | 26165EH | 110–120V (W/GFCI) | 1,000 gal (3,785L) | ✓      | –             | ✓            | ✓          | 1 ea 1 box | 90.2 lb (41.0 kg)  |
|                                                                                                                                           | 26166NP | 220–240V          | 1,000 gal (3,785L) | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 95.5 lb (43.4 kg)  |
|                                                                                                                                           | 26166GN | 12V               | 900 gal (3,407L)   | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 98.1 lb (44.6 kg)  |
| <b>15' x 48" (4.57m x 1.22m)</b><br>Approximate set-up size<br>Water Capacity (80%): 3,736 gal (14,141L)<br>Ready for Water in 15 Minutes | 26167EH | 110–120V (W/GFCI) | 1,000 gal (3,785L) | ✓      | –             | ✓            | ✓          | 1 ea 1 box | 97.5 lb (44.3 kg)  |
|                                                                                                                                           | 26168NP | 220–240V          | 1,000 gal (3,785L) | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 103.2 lb (46.9 kg) |
|                                                                                                                                           | 26168GN | 12V               | 900 gal (3,407L)   | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 105.4 lb (47.9 kg) |
| <b>18' x 48" (5.49m x 1.22m)</b><br>Approximate set-up size<br>Water Capacity (80%): 5,455 gal (20,647L)<br>Ready for Water in 30 Minutes | 26175EH | 110–120V (W/GFCI) | 1,500 gal (5,678L) | ✓      | –             | ✓            | ✓          | 1 ea 1 box | 134.4 lb (61.1 kg) |
|                                                                                                                                           | 26176NP | 220–240V          | 1,500 gal (5,678L) | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 143.0 lb (65.0 kg) |
|                                                                                                                                           | 26176GN | 12V               | 1,500 gal (5,678L) | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 144.5 lb (65.7 kg) |



# METAL FRAME POOLS

## FAMILY VACATIONS ARE BETTER AT HOME

Designed for years of family and neighborhood fun, this "Classic" line of pools will make your backyard the place to be all summer long. Engineered for strength, these pools are supported by strong, durable steel frames. Our new innovative Composite T-Joint design provides added benefits of ease of assembly and rust prevention. Puncture-resistant SUPER-TOUGH™ laminated sidewalls are reinforced with an all-around band to keep the frame legs firmly in place. Enjoy summer fun with Intex!



PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Metal Frame Pools: Ages 6+



| SPECIFICATIONS                                                                                                                          | ITEM#   | VOLTAGE           | FILTER PUMP      | CASE PACK  | CASE WEIGHT       |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|------------------|------------|-------------------|
| <b>10' x 30" (3.05m x 76cm)</b><br>Approximate set-up size<br>Water Capacity (90%): 1,185 gal (4,485L)<br>Ready for Water in 30 Minutes | 28200NP | –                 | –                | 1 ea 1 box | 38.3 lb (17.4 kg) |
|                                                                                                                                         | 28200EH | –                 | –                | 1 ea 1 box | 40.0 lb (18.2 kg) |
|                                                                                                                                         | 28201   | 110–120V          | 330 gal (1,250L) | 1 ea 1 box | 42.5 lb (19.3 kg) |
|                                                                                                                                         | 28201EH | 110–120V (W/GFCI) | 330 gal (1,250L) | 1 ea 1 box | 44.7 lb (20.3 kg) |
|                                                                                                                                         | 28202NP | 220–240V          | 330 gal (1,250L) | 1 ea 1 box | 43.3 lb (19.7 kg) |
|                                                                                                                                         | 28202GN | 12V               | 330 gal (1,250L) | 1 ea 1 box | 44.0 lb (20.0 kg) |
| <b>12' x 30" (3.66m x 76cm)</b><br>Approximate set-up size<br>Water Capacity (90%): 1,718 gal (6,503L)<br>Ready for Water in 30 Minutes | 28210NP | –                 | –                | 1 ea 1 box | 48.2 lb (21.9 kg) |
|                                                                                                                                         | 28210EH | –                 | –                | 1 ea 1 box | 50.2 lb (22.8 kg) |
|                                                                                                                                         | 28211   | 110–120V          | 530 gal (2,006L) | 1 ea 1 box | 53.9 lb (24.5 kg) |
|                                                                                                                                         | 28211EH | 110–120V (W/GFCI) | 530 gal (2,006L) | 1 ea 1 box | 55.7 lb (25.3 kg) |
|                                                                                                                                         | 28212NP | 220–240V          | 530 gal (2,006L) | 1 ea 1 box | 55.4 lb (25.2 kg) |
|                                                                                                                                         | 28212GN | 12V               | 600 gal (2,271L) | 1 ea 1 box | 57.0 lb (25.9 kg) |



INNOVATIVE NEW T-JOINT  
PRECISION ENGINEERED

- SIMPLIFIED ASSEMBLY**
- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit
- RUST PREVENTION**
- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
  - Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection
- DURABILITY**
- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life




| SPECIFICATIONS                                                                                                                            | ITEM#   | VOLTAGE           | FILTER PUMP        | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT        |
|-------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|--------------------|--------|---------------|--------------|------------|------------|--------------------|
| <b>15' x 48" (4.57m x 1.22m)</b><br>Approximate set-up size<br>Water Capacity (90%): 4,440 gal (16,805L)<br>Ready for Water in 45 Minutes | 28241EH | 110–120V (W/GFCI) | 1,000 gal (3,785L) | ✓      | –             | ✓            | ✓          | 1 ea 1 box | 150.0 lb (68.2 kg) |
|                                                                                                                                           | 28242NP | 220–240V          | 1,000 gal (3,785L) | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 154.9 lb (70.4 kg) |
|                                                                                                                                           | 28242GN | 12V               | 900 gal (3,407L)   | –      | ✓             | ✓            | ✓          | 1 ea 1 box | 156.4 lb (71.1 kg) |
| <b>18' x 48" (5.49m x 1.22m)</b><br>Approximate set-up size<br>Water Capacity (90%): 6,423 gal (24,311L)<br>Ready for Water in 60 Minutes | 28253EH | 110–120V (W/GFCI) | 1,500 gal (5,678L) | ✓      | –             | ✓            | ✓          | 1 ea 1 box | 197.8 lb (89.9 kg) |



# PRISM FRAME™ PREMIUM POOLS

## ENJOY A WHOLE NEW LEVEL OF FUN

Enjoy hours of outdoor fun with Intex Prism Frame™ pools. Enhanced with strong powder-coated steel tubing and a stylish and upscale looking liner, these premium pools come in a range of sizes. From our 10' starter pool, which is great for a family's first pool and perfect for families with younger children, to our large 20' pools spacious enough for a pool party, there is an Intex Prism Frame™ pool for every family and every occasion!



PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Prism Frame™ Premium Pools:  6+



| SPECIFICATIONS                                                                                                                   | ITEM#   |  VOLTAGE |  FILTER PUMP |  CASE PACK |  CASE WEIGHT |
|----------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 10' x 30" (3.05m x 76cm)<br>Approximate set-up size<br>Water Capacity (90%): 1,185 gal (4,485L)<br>Ready for Water in 30 Minutes | 26700NP | –                                                                                           | –                                                                                               | 1 ea 1 box                                                                                    | 37.5 lb (17.1 kg)                                                                               |
|                                                                                                                                  | 26700EH | –                                                                                           | –                                                                                               | 1 ea 1 box                                                                                    | 39.4 lb (17.9 kg)                                                                               |
|                                                                                                                                  | 26701   | 110–120V                                                                                    | 330 gal (1,250L)                                                                                | 1 ea 1 box                                                                                    | 41.8 lb (19.0 kg)                                                                               |
|                                                                                                                                  | 26701EH | 110–120V (W/GFCI)                                                                           | 330 gal (1,250L)                                                                                | 1 ea 1 box                                                                                    | 44.0 lb (20.0 kg)                                                                               |
|                                                                                                                                  | 26702NP | 220–240V                                                                                    | 330 gal (1,250L)                                                                                | 1 ea 1 box                                                                                    | 42.9 lb (19.5 kg)                                                                               |
| 12' x 30" (3.66m x 76cm)<br>Approximate set-up size<br>Water Capacity (90%): 1,718 gal (6,503L)<br>Ready for Water in 30 Minutes | 26702GN | 12V                                                                                         | 330 gal (1,250L)                                                                                | 1 ea 1 box                                                                                    | 43.3 lb (19.7 kg)                                                                               |
|                                                                                                                                  | 26710NP | –                                                                                           | –                                                                                               | 1 ea 1 box                                                                                    | 47.3 lb (21.5 kg)                                                                               |
|                                                                                                                                  | 26710EH | –                                                                                           | –                                                                                               | 1 ea 1 box                                                                                    | 49.3 lb (22.4 kg)                                                                               |
|                                                                                                                                  | 26711   | 110–120V                                                                                    | 530 gal (2,006L)                                                                                | 1 ea 1 box                                                                                    | 53.2 lb (24.2 kg)                                                                               |
|                                                                                                                                  | 26711EH | 110–120V (W/GFCI)                                                                           | 530 gal (2,006L)                                                                                | 1 ea 1 box                                                                                    | 54.8 lb (24.9 kg)                                                                               |
|                                                                                                                                  | 26712NP | 220–240V                                                                                    | 530 gal (2,006L)                                                                                | 1 ea 1 box                                                                                    | 54.8 lb (24.9 kg)                                                                               |
|                                                                                                                                  | 26712GN | 12V                                                                                         | 600 gal (2,271L)                                                                                | 1 ea 1 box                                                                                    | 56.1 lb (25.5 kg)                                                                               |



### INNOVATIVE NEW T-JOINT PRECISION ENGINEERED

#### SIMPLIFIED ASSEMBLY

- No more pins to try to align and insert – simply push all the pipes into the Composite T-Joints for a snug fit

#### RUST PREVENTION

- Composite T-Joint creates a water-tight seal with the pipe – preventing internal rust from forming
- Composite T-Joint won't damage metal coating during pool use – preserving exterior rust protection

#### DURABILITY

- Composite T-Joints are engineered for high strength and infused with UV inhibitor to ensure weather resistance and long service life

| SPECIFICATIONS                                                                                                                     | ITEM#   |  VOLTAGE |  FILTER PUMP |  LADDER |  SAFETY LADDER |  GROUND CLOTH |  POOL COVER |  CASE PACK |  CASE WEIGHT |
|------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 12' x 39" (3.66m x 99cm)<br>Approximate set-up size<br>Water Capacity (90%): 2,270 gal (8,592L)<br>Ready for Water in 30 Minutes   | 26715   | 110–120V                                                                                    | 530 gal (2,006L)                                                                                | ✓                                                                                          | –                                                                                                 | –                                                                                                | –                                                                                              | 1 ea 1 box                                                                                    | 82.9 lb (37.7 kg)                                                                               |
|                                                                                                                                    | 26716NP | 220–240V                                                                                    | 530 gal (2,006L)                                                                                | –                                                                                          | ✓                                                                                                 | –                                                                                                | –                                                                                              | 1 ea 1 box                                                                                    | 89.8 lb (40.8 kg)                                                                               |
|                                                                                                                                    | 26716GN | 12V                                                                                         | 600 gal (2,271L)                                                                                | –                                                                                          | ✓                                                                                                 | –                                                                                                | –                                                                                              | 1 ea 1 box                                                                                    | 91.5 lb (41.6 kg)                                                                               |
| 14' x 42" (4.27m x 1.07m)<br>Approximate set-up size<br>Water Capacity (90%): 3,357 gal (12,706L)<br>Ready for Water in 45 Minutes | 26719EH | 110–120V (W/GFCI)                                                                           | 1,000 gal (3,785L)                                                                              | ✓                                                                                          | –                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 130.7 lb (59.4 kg)                                                                              |
|                                                                                                                                    | 26720NP | 220–240V                                                                                    | 1,000 gal (3,785L)                                                                              | –                                                                                          | ✓                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 135.7 lb (61.7 kg)                                                                              |
|                                                                                                                                    | 26720GN | 12V                                                                                         | 900 gal (3,407L)                                                                                | –                                                                                          | ✓                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 138.4 lb (62.9 kg)                                                                              |
| 15' x 42" (4.57m x 1.07m)<br>Approximate set-up size<br>Water Capacity (90%): 3,861 gal (14,614L)<br>Ready for Water in 45 Minutes | 26723EH | 110–120V (W/GFCI)                                                                           | 1,000 gal (3,785L)                                                                              | ✓                                                                                          | –                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 140.6 lb (63.9 kg)                                                                              |
|                                                                                                                                    | 26724NP | 220–240V                                                                                    | 1,000 gal (3,785L)                                                                              | –                                                                                          | ✓                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 146.1 lb (66.4 kg)                                                                              |
|                                                                                                                                    | 26724GN | 12V                                                                                         | 900 gal (3,407L)                                                                                | –                                                                                          | ✓                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 147.8 lb (67.2 kg)                                                                              |




# PRISM FRAME™ PREMIUM POOLS

## SPLASH INTO SUMMER

Featuring new innovative T-Joints, strong powder coated metal frames and durable 3-ply material liner, our Prism Frame™ line of pools offer swimmers a premium pool experience at an affordable price. Beautifully designed, the soft gray exterior and the elegant blue tile print interior provide an upscale look to complement modern backyard décor and furniture.



IMPROVED  
INNOVATIVE NEW T-JOINT  
PRECISION ENGINEERED



IMPROVED  
PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Prism Frame™ Premium Pools: 6+



Our 1,500 gal (5,678 L) filter pump included in the 18' (5.49m) Prism Frame™ Premium Pool set completely filters the pool's water in under 4 hours!



STRONG, POWDER COATED STEEL TUBING

MOSAIC TILE PRINTED INSIDE LINER

CONVENIENT DRAIN PLUG




| SPECIFICATIONS                                                                                                                     | ITEM#   | VOLTAGE           | FILTER PUMP        | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT         |
|------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|--------------------|--------|---------------|--------------|------------|------------|---------------------|
| 15' x 48" (4.57m x 1.22m)<br>Approximate set-up size<br>Water Capacity (90%): 4,440 gal (16,805L)<br>Ready for Water in 45 Minutes | 26725EH | 110-120V (W/GFCI) | 1,000 gal (3,785L) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 154.7 lb (70.3 kg)  |
|                                                                                                                                    | 26726NP | 220-240V          | 1,000 gal (3,785L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 161.5 lb (73.4 kg)  |
|                                                                                                                                    | 26726GN | 12V               | 900 gal (3,407L)   | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 163.5 lb (74.3 kg)  |
| 18' x 48" (5.49m x 1.22m)<br>Approximate set-up size<br>Water Capacity (90%): 6,423 gal (24,311L)<br>Ready for Water in 60 Minutes | 26731EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 211.2 lb (96.0 kg)  |
|                                                                                                                                    | 26732NP | 220-240V          | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 219.3 lb (99.7 kg)  |
|                                                                                                                                    | 26732GN | 12V               | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 221.8 lb (100.8 kg) |
| 20' x 52" (6.10m x 1.32m)<br>Approximate set-up size<br>Water Capacity (90%): 8,638 gal (32,695L)<br>Ready for Water in 60 Minutes | 26755EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 251.2 lb (114.2 kg) |
|                                                                                                                                    | 26756NP | 220-240V          | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 259.2 lb (117.8 kg) |
|                                                                                                                                    | 26756GN | 12V               | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 261.8 lb (119.0 kg) |



# PRISM FRAME™ RECTANGULAR PREMIUM POOLS

## ENHANCE YOUR SWIMMING EXPERIENCE

The Prism Frame™ Rectangular line of pools is designed to fit any backyard. The pools are built to provide extra swimming space, and they hold more pool water than traditional round frame pools, allowing swimmers to appreciate the maximized swimming area. Constructed with puncture-resistant 3-ply durable material, the inside liner offers beautiful mosaic tile design. With a sophisticated look, Intex Prism Frame™ Rectangular pools will provide families with endless summer fun!



PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Prism Frame™ Premium Pools:  6+



Our 1,000 gal (3,785 L) filter pump included in the 16' x 8' x 42" (4.88m x 2.44m x 1.07m) Prism Frame™ Premium Pool set completely filters the pool's water in under 4 hours!

STRONG, POWDER COATED STEEL TUBING

MOSAIC TILE PRINTED INSIDE LINER

CONVENIENT DRAIN PLUG




| SPECIFICATIONS                                                                                                                                                  | ITEM#          |  VOLTAGE |  FILTER PUMP |  LADDER |  SAFETY LADDER |  GROUND CLOTH |  POOL COVER |  CASE PACK |  CASE WEIGHT |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>9'10" x 5'9" x 31½"</b><br>(3.00m x 1.75m x 80cm)<br>Approximate set-up size<br>Water Capacity (90%): 935 gal (3,539L)<br>Ready for Water in 45 Minutes      | <b>26784NP</b> | 220-240V                                                                                    | 530 gal (2,006L)                                                                                | ✓                                                                                          | –                                                                                                 | –                                                                                                | –                                                                                              | 1 ea 1 box                                                                                    | 106.3 lb (48.3 kg)                                                                              |
|                                                                                                                                                                 | <b>26784GN</b> | 12V                                                                                         | 600 gal (2,271L)                                                                                | ✓                                                                                          | –                                                                                                 | –                                                                                                | –                                                                                              | 1 ea 1 box                                                                                    | 109.3 lb (49.7 kg)                                                                              |
| <b>13'1½" x 6'6¾" x 39½"</b><br>(4.00m x 2.00m x 1.00m)<br>Approximate set-up size<br>Water Capacity (90%): 1,806 gal (6,836L)<br>Ready for Water in 45 Minutes | <b>26788NP</b> | 220-240V                                                                                    | 530 gal (2,006L)                                                                                | –                                                                                          | ✓                                                                                                 | –                                                                                                | –                                                                                              | 1 ea 1 box                                                                                    | 151.6 lb (68.9 kg)                                                                              |
|                                                                                                                                                                 | <b>26788GN</b> | 12V                                                                                         | 600 gal (2,271L)                                                                                | –                                                                                          | ✓                                                                                                 | –                                                                                                | –                                                                                              | 1 ea 1 box                                                                                    | 152.9 lb (69.5 kg)                                                                              |
| <b>16' x 8' x 42"</b><br>(4.88m x 2.44m x 1.07m)<br>Approximate set-up size<br>Water Capacity (90%): 2,873 gal (10,874L)<br>Ready for Water in 60 Minutes       | <b>26791EH</b> | 110-120V (W/GFCI)                                                                           | 1,000 gal (3,785L)                                                                              | ✓                                                                                          | –                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 187.0 lb (85.0 kg)                                                                              |
|                                                                                                                                                                 | <b>26792NP</b> | 220-240V                                                                                    | 1,000 gal (3,785L)                                                                              | –                                                                                          | ✓                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 191.8 lb (87.2 kg)                                                                              |
|                                                                                                                                                                 | <b>26792GN</b> | 12V                                                                                         | 900 gal (3,407L)                                                                                | –                                                                                          | ✓                                                                                                 | ✓                                                                                                | ✓                                                                                              | 1 ea 1 box                                                                                    | 194.5 lb (88.4 kg)                                                                              |



# PRISM FRAME™ OVAL PREMIUM POOLS

## ENJOY A PRISTINE POOL EXPERIENCE

Completing the range of Prism Frame™ pools are our new Prism Frame™ Oval pools. Premium features include quality powder coated steel frames, durable 3-ply material liner and a beautiful design. These elegantly shaped pools with 48" walls provide a great combination of size and water volume for a great backyard pool. Paired with a powerful 1500 GPH pump with Hydro Aeration Technology™, the Prism Frame™ Oval pools are sure to provide a pristine pool experience.



PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Oval Frame™ Premium Pools: Ages 6+



Our 1,500 gal (5,678 L) filter pump included in the 16'6" x 9' x 48" (5.03m x 2.74m x 1.22m) Prism Frame™ Oval Premium Pool set completely filters the pool's water in under 4 hours!



| SPECIFICATIONS                                                                                                                                       | ITEM#   | VOLTAGE           | FILTER PUMP        | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT         |
|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|--------------------|--------|---------------|--------------|------------|------------|---------------------|
| 16'6" x 9' x 48"<br>(5.03m x 2.74m x 1.22m)<br>Approximate set-up size<br>Water Capacity (90%): 3,531 gal (13,365L)<br>Ready for Water in 60 Minutes | 26795EH | 110-120V(W/GFCI)  | 1,500 gal (5,678L) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 238.5 lb (108.4 kg) |
|                                                                                                                                                      | 26796NP | 220-240V          | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 246.6 lb (112.1 kg) |
|                                                                                                                                                      | 26796GN | 12V               | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 249.7 lb (113.5 kg) |
| 20' x 10' x 48"<br>(6.10m x 3.05m x 1.22m)<br>Approximate set-up size<br>Water Capacity (90%): 4,809 gal (18,202L)<br>Ready for Water in 60 Minutes  | 26797EH | 110-120V (W/GFCI) | 1,500 gal (5,678L) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 278.1 lb (126.4 kg) |
|                                                                                                                                                      | 26798NP | 220-240V          | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 286.9 lb (130.4 kg) |
|                                                                                                                                                      | 26798GN | 12V               | 1,500 gal (5,678L) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 289.5 lb (131.6 kg) |



# GRAPHITE GRAY PANEL™ POOLS

INTEX'S HIGH-END PANEL WALL POOL BRINGS INCREDIBLE VALUE AND SOPHISTICATION TO YOUR BACKYARD

Following the latest color trends in exterior decking and home siding, the Graphite Gray Panel™ Pool offers the appearance of a high-end, custom-built swimming pool at a value you may only expect from Intex. While the panels have the look of natural wood, they are made of high-density plastic, eliminating the need for weather staining or termite protection. Better yet, the Graphite Gray Panel™ Pool is easy to assemble and comes equipped with Intex' highest-grade pool accessories, including the Krystal Clear® Sand Filter Pump.



English/Spanish and multi-language international packaging available

Graphite Gray Panel™ Pools: 6+



15'8" x 49" (4.78m x 1.24m) Graphite Gray Panel™ Pool come with the 1,200 gal (4.5 m³) per hour Sand Filter Pump, which promises to keep pool water crystal clear!



| SPECIFICATIONS                                                                                                                        | ITEM#   | VOLTAGE          | SAND FILTER PUMP  | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK    | CASE WEIGHT         |
|---------------------------------------------------------------------------------------------------------------------------------------|---------|------------------|-------------------|--------|---------------|--------------|------------|--------------|---------------------|
|                                                                                                                                       |         |                  |                   |        |               |              |            |              |                     |
| 15'8" x 49" (4.78m x 1.24m)<br>Approximate set-up size<br>Water Capacity (90%): 4,440 gal (16,805L)<br>Ready for Water in 120 Minutes | 26383EH | 110-120V(W/GFCI) | 1,200 gal (4.5m³) | ✓      | -             | ✓            | ✓          | 1 ea 3 boxes | 497.6 lb (226.2 kg) |
|                                                                                                                                       | 26384NP | 220-240V         | 1,200 gal (4.5m³) | -      | ✓             | ✓            | ✓          | 1 ea 3 boxes | 501.6 lb (228.0 kg) |
|                                                                                                                                       | 26384GN | 220-240V (W/RCD) | 1,200 gal (4.5m³) | -      | ✓             | ✓            | ✓          | 1 ea 3 boxes | 505.3 lb (229.7 kg) |



ULTRA

XTR

TM

2  
YEAR  
WARRANTY

FRAME POOLS

ENJOY THE ULTIMATE POOL  
EXPERIENCE WITH THE  
ULTRA XTR™ FRAME POOL

• Uniquely designed frame combines high quality galvanized steel with precision engineered locking system, enhancing the overall quality, durability and stability of the pools

• Encapsulating inner and outer powder coating ensures the ultimate resistance to rust

• Easy to assemble – frame components simply snap together with no locking pins needed

• Extra strong and durable liner

• Equipped with Krystal Clear® Sand Filter Pump with Hydro Aeration Technology™

• 2-year warranty that guarantees a peace of mind pool ownership

T-JOINT  
PRECISION ENGINEERED

EASY LOCK SYSTEM™  
SNAPS TOGETHER WITH  
NO ADDITIONAL TOOLS

INNOVATIVE FRAME DESIGN  
STURDY, DURABLE AND UNIQUE

PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Ultra XTR™ Frame Pools: 6+



| SPECIFICATIONS                                                                                                                     | ITEM#   | VOLTAGE          | SAND FILTER PUMP  | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT         |
|------------------------------------------------------------------------------------------------------------------------------------|---------|------------------|-------------------|--------|---------------|--------------|------------|------------|---------------------|
| 16' x 48" (4.88m x 1.22m)<br>Approximate set-up size<br>Water Capacity (90%): 5,061 gal (19,156L)<br>Ready for Water in 45 Minutes | 26325EH | 110-120V(W/GFCI) | 1,200 gal (4.5m³) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 220.7 lb (100.3 kg) |
|                                                                                                                                    | 26326NP | 220-240V         | 1,200 gal (4.5m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 227.3 lb (103.3 kg) |
|                                                                                                                                    | 26326GN | 220-240V(W/RCD)  | 1,200 gal (4.5m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 229.7 lb (104.4 kg) |

| SPECIFICATIONS                                                                                                                     | ITEM#   | VOLTAGE          | SAND FILTER PUMP  | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT         |
|------------------------------------------------------------------------------------------------------------------------------------|---------|------------------|-------------------|--------|---------------|--------------|------------|------------|---------------------|
| 18' x 52" (5.49m x 1.32m)<br>Approximate set-up size<br>Water Capacity (90%): 6,981 gal (26,423L)<br>Ready for Water in 60 Minutes | 26329EH | 110-120V(W/GFCI) | 2,100 gal (7.9m³) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 277.0 lb (125.9 kg) |
|                                                                                                                                    | 26330NP | 220-240V         | 2,100 gal (7.9m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 281.8 lb (128.1 kg) |
|                                                                                                                                    | 26330GN | 220-240V(W/RCD)  | 2,100 gal (7.9m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 283.8 lb (129.0 kg) |

| SPECIFICATIONS                                                                                                                     | ITEM#   | VOLTAGE          | SAND FILTER PUMP  | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT         |
|------------------------------------------------------------------------------------------------------------------------------------|---------|------------------|-------------------|--------|---------------|--------------|------------|------------|---------------------|
| 20' x 48" (6.10m x 1.22m)<br>Approximate set-up size<br>Water Capacity (90%): 7,947 gal (30,079L)<br>Ready for Water in 60 Minutes | 26333EH | 110-120V(W/GFCI) | 2,100 gal (7.9m³) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 288.0 lb (130.9 kg) |
|                                                                                                                                    | 26334NP | 220-240V         | 2,100 gal (7.9m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 294.1 lb (133.7 kg) |
|                                                                                                                                    | 26334GN | 220-240V(W/RCD)  | 2,100 gal (7.9m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 296.1 lb (134.6 kg) |

| SPECIFICATIONS                                                                                                                      | ITEM#   | VOLTAGE          | SAND FILTER PUMP   | LADDER | SAFETY LADDER | GROUND CLOTH | POOL COVER | CASE PACK  | CASE WEIGHT         |
|-------------------------------------------------------------------------------------------------------------------------------------|---------|------------------|--------------------|--------|---------------|--------------|------------|------------|---------------------|
| 24' x 52" (7.32m x 1.32m)<br>Approximate set-up size<br>Water Capacity (90%): 12,481 gal (47,241L)<br>Ready for Water in 60 Minutes | 26339EH | 110-120V(W/GFCI) | 2,800 gal (10.5m³) | ✓      | -             | ✓            | ✓          | 1 ea 1 box | 373.3 lb (169.7 kg) |
|                                                                                                                                     | 26340NP | 220-240V         | 2,800 gal (10.5m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 379.1 lb (172.3 kg) |
|                                                                                                                                     | 26340GN | 220-240V(W/RCD)  | 2,800 gal (10.5m³) | -      | ✓             | ✓            | ✓          | 1 ea 1 box | 381.5 lb (173.4 kg) |



ULTRA

XTR

TM

2  
YEAR  
WARRANTY

RECTANGULAR  
FRAME POOLS

INTEX ULTRA XTR™ PREMIUM  
POOL LINE

Maximize your pool experience with our largest Ultra XTR™ Frame pools. Classic rectangular shape, elegant dark gray liner with water-blue tile print interior and brilliant white copings will make a fashion statement anywhere. With this luxury pool, add summer fun and beauty to any backyard!

EASY LOCK SYSTEM™  
SNAPS TOGETHER WITH  
NO ADDITIONAL TOOLS

INNOVATIVE FRAME DESIGN  
STURDY, DURABLE AND UNIQUE

PUNCTURE-RESISTANT  
3-PLY MATERIAL

English/Spanish and multi-language international packaging available

Ultra XTR™ Frame Pools: 6+

28 | Pools

| SPECIFICATIONS                                                                                                                                     | ITEM#   | VOLTAGE              | SAND<br>FILTER PUMP  | LADDER | SAFETY<br>LADDER | GROUND<br>CLOTH | POOL<br>COVER | CASE<br>PACK  | CASE<br>WEIGHT         |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------------------|----------------------|--------|------------------|-----------------|---------------|---------------|------------------------|
| 18' x 9' x 52"<br>(5.49m x 2.74m x 1.32m)<br>Approximate set-up size<br>Water Capacity (90%): 4,545 gal (17,203L)<br>Ready for Water in 60 Minutes | 26355EH | 110-120V<br>(W/GFCI) | 1,200 gal<br>(4.5m³) | ✓      | –                | ✓               | ✓             | 1 ea<br>1 box | 280.1 lb<br>(127.3 kg) |
|                                                                                                                                                    | 26356NP | 220-240V             | 1,200 gal<br>(4.5m³) | –      | ✓                | ✓               | ✓             | 1 ea<br>1 box | 284.7 lb<br>(129.4 kg) |
|                                                                                                                                                    | 26356GN | 220-240V<br>(W/RCD)  | 1,200 gal<br>(4.5m³) | –      | ✓                | ✓               | ✓             | 1 ea<br>1 box | 288.2 lb<br>(131.0 kg) |

1,600 gal (6.0m³)

2,650 gal (10.0m³)

| SPECIFICATIONS                                                                                                                                      | ITEM#   | VOLTAGE              | SAND<br>FILTER PUMP  | SAND FILTER PUMP &<br>SALTWATER SYSTEM | LADDER | SAFETY<br>LADDER | GROUND<br>CLOTH | POOL<br>COVER | DELUXE POOL<br>MAINTENANCE KIT | VOLLEYBALL<br>SET | CASE<br>PACK    | CASE<br>WEIGHT         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------------------|----------------------|----------------------------------------|--------|------------------|-----------------|---------------|--------------------------------|-------------------|-----------------|------------------------|
| 24' x 12' x 52"<br>(7.32m x 3.66m x 1.32m)<br>Approximate set-up size<br>Water Capacity (90%): 8,403 gal (31,805L)<br>Ready for Water in 60 Minutes | 26363EH | 110-120V<br>(W/GFCI) | 2,100 gal<br>(7.9m³) | –                                      | ✓      | –                | ✓               | ✓             | –                              | –                 | 1 ea<br>2 boxes | 400.6 lb<br>(182.1 kg) |
|                                                                                                                                                     | 26364NP | 220-240V             | 2,100 gal<br>(7.9m³) | –                                      | –      | ✓                | ✓               | ✓             | –                              | –                 | 1 ea<br>2 boxes | 405.7 lb<br>(184.4 kg) |
|                                                                                                                                                     | 26364GN | 220-240V<br>(W/RCD)  | 2,100 gal<br>(7.9m³) | –                                      | –      | ✓                | ✓               | ✓             | –                              | –                 | 1 ea<br>2 boxes | 407.4 lb<br>(185.2 kg) |
|                                                                                                                                                     | 26367EH | 110-120V<br>(W/GFCI) | –                    | 2,100 gal<br>(7.9m³)                   | ✓      | –                | ✓               | ✓             | ✓                              | ✓                 | 1 ea<br>2 boxes | 436.0 lb<br>(198.2 kg) |
|                                                                                                                                                     | 26368NP | 220-230V             | –                    | 2,100 gal<br>(7.9m³)                   | –      | ✓                | ✓               | ✓             | ✓                              | ✓                 | 1 ea<br>2 boxes | 441.5 lb<br>(200.7 kg) |

| SPECIFICATIONS                                                                                                                                       | ITEM#   | VOLTAGE              | SAND<br>FILTER PUMP   | SAND FILTER PUMP &<br>SALTWATER SYSTEM | LADDER | SAFETY<br>LADDER | GROUND<br>CLOTH | POOL<br>COVER | DELUXE POOL<br>MAINTENANCE KIT | VOLLEYBALL<br>SET | CASE<br>PACK    | CASE<br>WEIGHT         |
|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------------------|-----------------------|----------------------------------------|--------|------------------|-----------------|---------------|--------------------------------|-------------------|-----------------|------------------------|
| 32' x 16' x 52"<br>(9.75m x 4.88m x 1.32m)<br>Approximate set-up size<br>Water Capacity (90%): 14,364 gal (54,368L)<br>Ready for Water in 90 Minutes | 26373EH | 110-120V<br>(W/GFCI) | 2,800 gal<br>(10.5m³) | –                                      | ✓      | –                | ✓               | ✓             | –                              | –                 | 1 ea<br>2 boxes | 548.2 lb<br>(249.2 kg) |
|                                                                                                                                                      | 26374NP | 220-240V             | 2,800 gal<br>(10.5m³) | –                                      | –      | ✓                | ✓               | ✓             | –                              | –                 | 1 ea<br>2 boxes | 553.5 lb<br>(251.6 kg) |
|                                                                                                                                                      | 26374GN | 220-240V<br>(W/RCD)  | 2,800 gal<br>(10.5m³) | –                                      | –      | ✓                | ✓               | ✓             | –                              | –                 | 1 ea<br>2 boxes | 555.9 lb<br>(252.7 kg) |
|                                                                                                                                                      | 26377EH | 110-120V<br>(W/GFCI) | –                     | 2,650 gal<br>(10.0m³)                  | ✓      | –                | ✓               | ✓             | ✓                              | ✓                 | 1 ea<br>2 boxes | 588.5 lb<br>(267.5 kg) |
|                                                                                                                                                      | 26378NP | 220-230V             | –                     | 2,650 gal<br>(10.0m³)                  | –      | ✓                | ✓               | ✓             | ✓                              | ✓                 | 1 ea<br>2 boxes | 592.7 lb<br>(269.4 kg) |

Pools | 29



# KRYSTAL CLEAR® FILTRATION & SANITATION SYSTEMS

## INNOVATION IN POOL CLEANING

Swimming pool maintenance plays an integral part in your overall pool owning experience. Intex understands that the process of keeping your pool water clean can be overwhelming, that is why we have designed and engineered our line of Krystal Clear® filtration and sanitation systems to take the leg work out of keeping your pool sparkling clean.



## COMBINATION FILTRATION & SANITATION SYSTEMS



 **HYDRO AERATION TECHNOLOGY™**

**2 models**  
(Details on page 39)

### SAND FILTER PUMP & SALTWATER SYSTEMS WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

Combines sand filter pump  
with saltwater system

## POOL FILTRATION SYSTEMS



 **HYDRO AERATION TECHNOLOGY™**

**5 models**  
(Details on pages 32-33)

### CARTRIDGE FILTER PUMPS

Advantages:

- Cartridges provide excellent water filtration
- Easy to use: simply replace the old cartridge with a new one every 2 weeks
- Intex high quality replacement cartridges are widely available
- 24-hour auto timer on some models



 **HYDRO AERATION TECHNOLOGY™**

**4 models**  
(Details on pages 34-35)

### SAND FILTER PUMPS

Advantages:

- All natural sand provides excellent water filtration
- Economical & environmentally friendly
- Requires virtually no maintenance except replacement of sand every 5 years
- 24-hour auto timer included

## POOL SANITATION SYSTEMS



**2 models**  
(Details on page 36)

### SALTWATER SYSTEM WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

Advantages:

- Eliminates bacteria & algae from pool water using a virtually undetectable amount of all natural salt
- Much gentler on skin, eyes, clothes, and hair than packaged chlorine
- Salt is economical & much more environmentally friendly than packaged chlorine
- 24-hour auto timer included



**1 model**  
(Details on page 37)

### SALTWATER SYSTEM WITH OZONE

Advantages:

- Ozone is the most powerful sanitizing method for pool water.
- The only 100% natural and biodegradable pool sanitizing agent.
- Odorless
- Saltwater system provides residual cleaning action and soft, smooth water for swimmers.
- 24-hour auto timer included.



# POOL FILTRATION SYSTEMS

## KRYSTAL CLEAR® CARTRIDGE FILTER PUMPS

Efficient filtration is essential for a quality swim experience. Who wants to swim in a dirty pool?

Intex's line of pumps and cartridges guarantee a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, heavier paper and more pleats
- Water inlet jets for enhanced water flow back into the pool
- 2-year warranty

The results will be faster water circulation, improved filtration, and best of all – a superior swim experience!



- Easy installation – just hook-up hoses and plug in
- Double insulated pump
- Air release valve for air trapped inside filter chamber
- Sediment flush valve at bottom of filter chamber (28635/28636/28633/28634)



- Auto timer for easier use (28635/28636/28633/28634), except 28636GS
- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models)
- Shelf box



#28601  
#28602



#28603  
#28604



#28637  
#28638



|         | Voltage           | Easy Set® Pool Models           | Frame™ Pool Models    | Prism Frame™ Rectangular Pool Models | Pump flow rate gal (L)/hr | System flow rate gal (L)/hr | Case Pack | Case Weight lb (kg) |
|---------|-------------------|---------------------------------|-----------------------|--------------------------------------|---------------------------|-----------------------------|-----------|---------------------|
| 28601   | 110-120V          | 6'8"/10' (1.83m/2.44m/3.05m)    | 10' (3.05m)           | –                                    | 330 (1,250)               | 300 (1,136)                 | 4 ea      | 22.3 (10.1)         |
| 28601EG | 110-120V (W/GFCI) | 6'8"/10' (1.83m/2.44m/3.05m)    | 10' (3.05m)           | –                                    | 330 (1,250)               | 300 (1,136)                 | 4 ea      | 23.3 (10.6)         |
| 28602   | 220-240V          | 6'8"/10' (1.83m/2.44m/3.05m)    | 10' (3.05m)           | –                                    | 330 (1,250)               | 265 (1,003)                 | 4 ea      | 23.4 (10.7)         |
| 28602GS | 12V               | 6'8"/10' (1.83m/2.44m/3.05m)    | 10' (3.05m)           | –                                    | 330 (1,250)               | 300 (1,136)                 | 4 ea      | 28.5 (13.0)         |
| 28603   | 110-120V          | 12'/13'/15' (3.66m/3.96m/4.57m) | 12' (3.66m)           | 9'10"/13'1½" (3.00m/4.00m)           | 530 (2,006)               | 475 (1,798)                 | 4 ea      | 28.7 (13.0)         |
| 28603EG | 110-120V (W/GFCI) | 12'/13'/15' (3.66m/3.96m/4.57m) | 12' (3.66m)           | 9'10"/13'1½" (3.00m/4.00m)           | 530 (2,006)               | 475 (1,798)                 | 4 ea      | 30.1 (13.7)         |
| 28604   | 220-240V          | 12'/13'/15' (3.66m/3.96m/4.57m) | 12' (3.66m)           | 9'10"/13'1½" (3.00m/4.00m)           | 530 (2,006)               | 450 (1,703)                 | 4 ea      | 31.1 (14.1)         |
| 28604GS | 12V               | 12'/13'/15' (3.66m/3.96m/4.57m) | 12' (3.66m)           | 9'10"/13'1½" (3.00m/4.00m)           | 600 (2,271)               | 500 (1,893)                 | 4 ea      | 40.2 (18.3)         |
| 28637EG | 110-120V (W/GFCI) | 15' (4.57m)                     | 14'/15' (4.27m/4.57m) | 16' x 8' (4.88m x 2.44m)             | 1,000 (3,785)             | 750 (2,839)                 | 4 ea      | 34.5 (15.7)         |
| 28638   | 220-240V          | 15' (4.57m)                     | 14'/15' (4.27m/4.57m) | 16' x 8' (4.88m x 2.44m)             | 1,000 (3,785)             | 710 (2,687)                 | 4 ea      | 36.3 (16.5)         |
| 28638GS | 12V               | 15' (4.57m)                     | 14'/15' (4.27m/4.57m) | 16' x 8' (4.88m x 2.44m)             | 900 (3,407)               | 700 (2,650)                 | 4 ea      | 50.8 (23.1)         |



|         | Voltage           | Easy Set® Pool Models | Frame™ Pool Models    | Prism Frame™ Oval Pool Models | Pump flow rate gal (L)/hr | System flow rate gal (L)/hr | Case Pack | Case Weight lb (kg) |
|---------|-------------------|-----------------------|-----------------------|-------------------------------|---------------------------|-----------------------------|-----------|---------------------|
| 28635EG | 110-120V (W/GFCI) | 18' (5.49m)           | 18'/20' (5.49m/6.10m) | 16½'/20' (5.03m/6.10m)        | 1,500 (5,678)             | 1,180 (4,466)               | 1 ea      | 16.4 (7.5)          |
| 28636   | 220-240V          | 18' (5.49m)           | 18'/20' (5.49m/6.10m) | 16½'/20' (5.03m/6.10m)        | 1,500 (5,678)             | 1,150 (4,353)               | 1 ea      | 23.7 (10.8)         |
| 28636GS | 12V               | 18' (5.49m)           | 18'/20' (5.49m/6.10m) | 16½'/20' (5.03m/6.10m)        | 1,500 (5,678)             | 1,100 (4,164)               | 1 ea      | 23.3 (10.6)         |
| 28633EG | 110-120V (W/GFCI) | –                     | –                     | –                             | 2,500 (9,463)             | 1,900 (7,192)               | 1 ea      | 24.2 (11.0)         |
| 28634   | 220-240V          | –                     | –                     | –                             | 2,500 (9,463)             | 1,900 (7,192)               | 1 ea      | 25.2 (11.5)         |
| 28634GS | 220-240V (W/RCD)  | –                     | –                     | –                             | 2,500 (9,463)             | 1,750 (6,624)               | 1 ea      | 27.7 (12.6)         |



# KRYSTAL CLEAR® SAND FILTER PUMPS

Sand Filters are one of the most popular ways to keep pool water clean. Not only is it effective, it saves on cost and time since the sand needs replacement just once every five years – making the sand filter system one of the easiest to maintain. As an alternative, Intex Glass Filter Media (item# 29058) may also be used in place of conventional sand.



|  HYDROAERATION TECHNOLOGY™ | Voltage           | Ultra XTR™<br>Frame<br>Pool Models | Ultra XTR™<br>Rectangular Frame<br>Pool Models | Graphite Gray<br>Panel™ Pool<br>Models | Tank<br>Size | hp   | Glass<br>Capacity<br>lb (kg) | Sand<br>Capacity<br>lb (kg) | Pump<br>flow rate<br>gal (m³)/hr | System<br>flow rate<br>gal (m³)/hr | Case<br>Pack | Case<br>Weight<br>lb (kg) |
|-------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|------------------------------------------------|----------------------------------------|--------------|------|------------------------------|-----------------------------|----------------------------------|------------------------------------|--------------|---------------------------|
| 26643EG                                                                                                     | 110–120V (W/GFCI) | 16' (4.88m)                        | 18' x 9' (5.49m x 2.74m)                       | 15'8" (4.78m)                          | 10" (254mm)  | 0.25 | 18.5 (8.5)                   | 26 (12)                     | 1,200 (4.5)                      | 1,050 (4.0)                        | 1 ea         | 27.5 (12.5)               |
| 26644                                                                                                       | 220–240V          | 16' (4.88m)                        | 18' x 9' (5.49m x 2.74m)                       | 15'8" (4.78m)                          | 10" (254mm)  | 0.25 | 18.5 (8.5)                   | 26 (12)                     | 1,200 (4.5)                      | 1,050 (4.0)                        | 1 ea         | 28.7 (13.1)               |
| 26644GS                                                                                                     | 220–240V (W/RCD)  | 16' (4.88m)                        | 18' x 9' (5.49m x 2.74m)                       | 15'8" (4.78m)                          | 10" (254mm)  | 0.25 | 18.5 (8.5)                   | 26 (12)                     | 1,200 (4.5)                      | 970 (3.7)                          | 1 ea         | 31.1 (14.1)               |
| 26645EG                                                                                                     | 110–120V (W/GFCI) | 18'/20' (5.49m/6.10m)              | 24' x 12' (7.32m x 3.66m)                      | –                                      | 12" (305mm)  | 0.30 | 35 (16)                      | 50 (23)                     | 2,100 (7.9)                      | 1,600 (6.0)                        | 1 ea         | 38.5 (17.5)               |
| 26646                                                                                                       | 220–240V          | 18'/20' (5.49m/6.10m)              | 24' x 12' (7.32m x 3.66m)                      | –                                      | 12" (305mm)  | 0.30 | 35 (16)                      | 50 (23)                     | 2,100 (7.9)                      | 1,600 (6.0)                        | 1 ea         | 39.4 (17.9)               |
| 26646GS                                                                                                     | 220–240V (W/RCD)  | 18'/20' (5.49m/6.10m)              | 24' x 12' (7.32m x 3.66m)                      | –                                      | 12" (305mm)  | 0.30 | 35 (16)                      | 50 (23)                     | 2,100 (7.9)                      | 1,250 (4.7)                        | 1 ea         | 40.9 (18.6)               |
| 26647EG                                                                                                     | 110–120V (W/GFCI) | 24' (7.32m)                        | 32' x 16' (9.75m x 4.88m)                      | –                                      | 14" (360mm)  | 0.60 | 55 (25)                      | 77 (35)                     | 2,800 (10.5)                     | 2,150 (8.0)                        | 1 ea         | 48.4 (22.0)               |
| 26648                                                                                                       | 220–240V          | 24' (7.32m)                        | 32' x 16' (9.75m x 4.88m)                      | –                                      | 14" (360mm)  | 0.60 | 55 (25)                      | 77 (35)                     | 2,800 (10.5)                     | 2,150 (8.0)                        | 1 ea         | 49.3 (22.4)               |
| 26648GS                                                                                                     | 220–240V (W/RCD)  | 24' (7.32m)                        | 32' x 16' (9.75m x 4.88m)                      | –                                      | 14" (360mm)  | 0.60 | 55 (25)                      | 77 (35)                     | 2,800 (10.5)                     | 1,900 (7.2)                        | 1 ea         | 50.9 (23.1)               |
| 26651EG                                                                                                     | 110–120V (W/GFCI) | –                                  | –                                              | –                                      | 16" (410mm)  | 0.75 | 85 (38)                      | 120 (55)                    | 3,000 (11.3)                     | 2,450 (9.2)                        | 1 ea         | 50.7 (23.1)               |
| 26652                                                                                                       | 220–240V          | –                                  | –                                              | –                                      | 16" (410mm)  | 0.75 | 85 (38)                      | 120 (55)                    | 3,200 (12.0)                     | 2,450 (9.2)                        | 1 ea         | 52.9 (24.0)               |
| 26652GS                                                                                                     | 220–240V (W/RCD)  | –                                  | –                                              | –                                      | 16" (410mm)  | 0.75 | 85 (38)                      | 120 (55)                    | 3,200 (12.0)                     | 2,200 (8.3)                        | 1 ea         | 54.8 (24.9)               |



| Features                                                                                         | Benefits                                                                         |
|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| 6-function control                                                                               | Enables pool owner to filter, backwash, rinse, recirculate, drain & close system |
| 24-hour automatic timer                                                                          | Automatic daily setting                                                          |
| 0.75 horse power pump<br>0.60 horse power pump<br>0.30 horse power pump<br>0.25 horse power pump | Ideal for above ground pools                                                     |
| GFCI unit (110-120V version)                                                                     | Safety shut-off; meets UL standard                                               |
| Strainer basket                                                                                  | Easy-cleaning, prolongs life of sand                                             |

| System flow rate |                       |
|------------------|-----------------------|
| 26643            | 1,050 gph (4.0 m³/hr) |
| 26644            | 1,050 gph (4.0 m³/hr) |
| 26645            | 1,600 gph (6.0 m³/hr) |
| 26646            | 1,600 gph (6.0 m³/hr) |
| 26647            | 2,150 gph (8.0 m³/hr) |
| 26648            | 2,150 gph (8.0 m³/hr) |
| 26651            | 2,450 gph (9.2 m³/hr) |
| 26652            | 2,450 gph (9.2 m³/hr) |



# POOL SANITATION SYSTEMS

## KRYSTAL CLEAR SALTWATER SYSTEM™

The ECO-friendly Pool Water Sanitizer

The Krystal Clear Saltwater System™ combines a unique two-stage technology to sanitize pool water.

First, an undetectable level of natural swimmer-safe chlorine is produced when environmentally friendly natural salt is added to pool water and passes through a titanium electrolytic cell during the filtration process. The result is soft, fresh, clean water without the potential harsh side effects of packaged pool chemicals.

Second, with the E.C.O. (electrocatalytic oxidation) process, water molecules are split into highly powerful oxidants which destroy organic contaminants such as bacteria and algae. The combination of these powerful oxidants with natural chlorine results in the strongest and safest pool water sanitation.

This second process, unique to the Intex Saltwater System, provides consumers with an important benefit. The process of E.C.O. is so effective, the amount of natural chlorine needed and generated by the system is reduced by approximately 60%. Which means that your customers not only get the great benefits of a saltwater system, they enjoy it with much less chlorine than other saltwater systems generate!



#26667 #26668



#26669 #26670

## KRYSTAL CLEAR SALTWATER SYSTEM™ WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

MAX POOL SIZE: 7,000 GAL (26,500L)

#26667EG

Krystal Clear Saltwater System™ CG-26667

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 5 g/hr
- 24 hr. auto-clock cycle
- Shelf box  
2 ea, 39.8 lb (18.1 kg)

#26668

Krystal Clear Saltwater System™ CG-26668

- Same as 26667 except 220-240V
- Shelf box  
2 ea, 39.1 lb (17.8 kg)

#26668GS

Krystal Clear Saltwater System™ CG-26668GS

- Same as 26668 except 12V
- Shelf box  
1 ea, 23.0 lb (10.5 kg)

MAX POOL SIZE: 15,000 GAL (56,800L)

#26669EG

Krystal Clear Saltwater System™ CG-26669

- Sleek and compact casing
- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- 110-120V with GFCI
- Filtration pump flow rate required: 700-3,200 gal/h (2,650-12,112L/h)
- Chlorine output: 12 g/hr
- 24 hr. auto-clock cycle
- Shelf box  
2 ea, 46.0 lb (20.9 kg)

#26670

Krystal Clear Saltwater System™ CG-26670

- Same as 26669 except 220-240V
- Shelf box  
2 ea, 46.3 lb (21.0 kg)

#26670GS

Krystal Clear Saltwater System™ CG-26670GS

- Same as 26670 except 12V
- Shelf box  
1 ea, 26.9 lb (12.2 kg)

## KRYSTAL CLEAR® OZONE AND SALTWATER SYSTEM

Professionals Know That The Ultimate Pool Sanitation Method Is Ozone.

Only Ozone provides virtually complete, instantaneous, odorless, all-natural sanitation of pool water. Ozone eliminates bacteria over 3,000 times faster than chlorine. And because it has up to 100 times the oxidizing power of chlorine, it cleans pool water without the chemical smell that swimmers often associate with chlorine.

Intex has brought this powerful technology together with the benefits of our saltwater system to provide your customers with the very best in above ground pool sanitation. By combining the incredible sanitizing strength of ozone with the great swimming comfort that saltwater systems provide, your customers can enjoy a truly wonderful pool ownership and great swimming experience for years.

A totally effective, odorless, effortless, all natural solution to maintaining crystal clear, soft, clean pool water... from Intex!



#26665 #26666

## KRYSTAL CLEAR® OZONE AND SALTWATER SYSTEM

MAX POOL SIZE: 15,000 GAL (56,800L)

#26665EG

Krystal Clear Saltwater System™ CG-26665

- Control panel with display and easy access buttons
- Added power button for convenience
- 3 self-clean modes available, 6/10/14-hr cycles
- Redesigned water pipe for added efficiency
- 110-120V with GFCI
- Filtration pump flow rate required: 1,600-4,000 gal/h (6,056-15,140L/h)
- Chlorine output: 11 g/hr
- Ozone output: 150 milligram/hr
- 24 hr. auto-clock cycle
- Shelf box  
2 ea, 50.3 lb (22.9 kg)

#26666

Krystal Clear Saltwater System™ CG-26666

- Same as 26665 except 220-240V
- Shelf box  
2 ea, 49.3 lb (22.4 kg)



Easy-to-Use Control Panel



Titanium Plates



# COMBINATION FILTRATION & SANITATION SYSTEMS

## KRYSTAL CLEAR® POOLWATER SYSTEM

Sand Filters are one of the most desirable methods to keep pool water clear and sparkling. Not only does the all-natural, inexpensive sand do an excellent job of filtering the water, it needs replacement only once every five years, making sand filter the easiest maintenance filtration option on the market. As an alternative, Intex Glass Filter Media (item# 29058) may also be used in place of conventional sand.

Saltwater systems with E.C.O. (electrocatalytic oxidation) are known for their ability to keep pool water clean and safe, while eliminating the harshness of traditional packaged chlorine.

Intex has combined these two excellent systems into one product, providing above ground pool owners with ONE low cost, low maintenance system that will keep pools clean, safe, and comfortable for swimmers. Both systems are controlled automatically with one 24-hour timer to make daily operation carefree!



## KRYSTAL CLEAR® SAND FILTER PUMP & SALTWATER SYSTEMS WITH E.C.O. (ELECTROCATALYTIC OXIDATION)



- MAX POOL SIZE: 8,500 GAL (32,200L)**  
**#26675EG**  
Krystal Clear® Sand Filter Pump & Saltwater System CG-26675
- 110-120V with GFCI
  - 14" (360mm) tank diameter
  - 0.3 hp motor
  - Pump flow rate 2,100 gph (7.9 m³/hr)
  - System flow rate 1,600 gph (6.0 m³/hr)
  - 77 lb (35 kg) sand capacity or 55 lb (25 kg) glass filtration media capacity
  - Chlorine output: 7 g/hr
  - 2 pieces of 1½" (38mm) hoses
  - 2-year warranty
  - Shelf box
  - 1 ea, 53.0 lb (24.1 kg)

- #26676**  
Krystal Clear® Sand Filter Pump & Saltwater System CG-26676
- Same as 26675 except 220-230V
  - Shelf box
  - 1 ea, 54.5 lb (24.8 kg)

| HYDROAERATION TECHNOLOGY™ |         | Ultra XTR™ Rectangular Frame Pool Models |
|---------------------------|---------|------------------------------------------|
| NEW                       | 26675EG | 24' x 12' (7.32m x 3.66m)                |
| NEW                       | 26676   | 24' x 12' (7.32m x 3.66m)                |



- MAX POOL SIZE: 15,000 GAL (56,800L)**  
**#26679EG**  
Krystal Clear® Sand Filter Pump & Saltwater System CG-26679
- 110-120V with GFCI
  - 16" (410mm) tank diameter
  - 0.75 hp motor
  - Pump flow rate 2,650 gph (10.0 m³/hr)
  - System flow rate 2,150 gph (8.0 m³/hr)
  - 120 lb (55 kg) sand capacity or 85 lb (38 kg) glass filtration media capacity
  - Chlorine output: 11 g/hr
  - 2 pieces of 1½" (38mm) hoses
  - 2-year warranty
  - Shelf box
  - 1 ea, 63.5 lb (28.9 kg)

- #26680**  
Krystal Clear® Sand Filter Pump & Saltwater System CG-26680
- Same as 26679 except 220-230V
  - Shelf box
  - 1 ea, 64.8 lb (29.4 kg)

| HYDROAERATION TECHNOLOGY™ |         | Ultra XTR™ Rectangular Frame Pool Models |
|---------------------------|---------|------------------------------------------|
| NEW                       | 26679EG | 32' x 16' (9.75m x 4.88m)                |
| NEW                       | 26680   | 32' x 16' (9.75m x 4.88m)                |



# POOL ACCESSORIES

## ENHANCE YOUR SWIMMING POOL EXPERIENCE

From pool covers, ground cloths to pool maintenance kits, Intex's line of pool accessories help to make owning a pool easy and convenient, so you can spend more time enjoying your pool! We understand that fun in the sun starts with a clean pool - let Intex enhance your swimming pool owning experience this summer.



### SOLAR MAT

#### #28685 / E

- Eco-Friendly Solar technology that increases the temperature of the pool water by approximately 3° ~ 5°C (5° ~ 9°F) depending on weather condition
- Suitable for AGPs up to 8,000 gal (30,280L)
- Simple hook up, compatible with pump flow rate up to 1/3 hp or pump flow rate less than 1,500 gal/h (5,678L/h)
- 1m<sup>2</sup> (11ft<sup>2</sup>) surface to absorb the sun's rays
- Easy to drain, easy to store
- Dimensions: 1.20m x 1.20m / 47" x 47" (flat, before fill)
- Constructed of heavy duty UV stabilized PVC
- Includes: 1/4" (32mm) hose attachment points  
1 adaptor A and B for 1/2" (38mm) hose connection  
0.5m (1 1/4"/32mm diameter) connecting hose  
Bypass valve
- Shelf box  
3 ea, 19.0 lb (8.6 kg)



#28685



The Intex Solar Mat is an energy efficient way to capture the sun's rays to heat up your above ground swimming pool. Designed to work with a variety of Intex filter pumps, this heater is perfect for increasing your swimming session with warmer water, using environmentally friendly solar heating technology.

### HEATER

#### #28684

- 220-240V with RCD
- Compatible with round Easy Set® or Metal Frame pools 15' (4.57m) diameter or smaller
- Easy hook-up and operation
- Water level sensor
- Easily connects to new or existing pool filter system
- Shelf box  
4 ea, 32.0 lb (14.6 kg)



#28684

### SURFACE SKIMMER



#28000

#### #28000 / E Deluxe Wall Mount Surface Skimmer

- Attaches to filter pump for automatic skimming
- Minimum filtration pump flow rate required: 1,000 gal/h (3,785L/h)
- Easily mounts to Easy Set® or metal frame pool sidewalls with adjustable bracket
- Helps catch leaves and other debris before they sink to the bottom of the pool
- Durable polypropylene plastic is not affected by pool chemicals
- Strainer basket pulls out for easy cleaning
- Shelf box  
4 ea, 18.7 lb (8.5 kg)

### AUTO POOL CLEANER



#28001

#### #28001 / E

- Automatic powerful pool cleaner
- Automatically vacuums the entire pool floor effectively and hassle-free
- Intex pump flow rate required: 1,600-3,500 gal/h (6,056-13,248L/h)
- Attaches to the inlet connector in the pool with a 21'4" (6.50m) hose
- Not suitable for in-ground pools
- Shelf box  
1 ea, 14.7 lb (6.7 kg)

### POOL THERMOMETER

#### #29039 / E

- Floats upright  
12 ea, 2.2 lb (1.0 kg)



#29039

### POOL FOOT BATH

#### #29080 / E

- Reduces amount of debris & dirt entering your pool
- Easily connects to ladders to rinse off feet before entering pool
- Anti-slip bottom designed for safety
- Perfectly fits all Intex ladders
- Size 22" x 18" x 3.5" (56cm x 46cm x 9cm)
- Water Capacity: 3 gal (11.5L)  
12 ea, 16.1 lb (7.3 kg)



#29080

### RECHARGEABLE HANDHELD VACUUM

#### #28620 / E

- Keep pool water clean by vacuuming out dirt and debris
- Strong built-in Ni-MH rechargeable batteries (50min per charge) for powerful suction capability
- Suitable for use with all PureSpas and above ground pools up to 18' diameter
- 94" (2.39m) lightweight telescoping aluminum pole
- Shaft adapter to fit longer/wider telescoping aluminum poles
- Two interchangeable brush heads
- Automatic shut-off feature when vacuum is not submerged in water
- IPX8 waterproof switch for added protection against water submersion
- USB cable included for convenient recharging (plug not included)  
4 ea, 29.0 lb (13.2 kg)





CHEMICAL DISPENSERS

#29040NP / EP  
5" (12.7cm) FLOATING CHEMICAL DISPENSER

- Holds up to 1" (2.5cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for Intex pools up to 12' (3.66m) and PureSpa™
- Tablets not included



#29040

#29041NP / EP  
7" (17.8cm) FLOATING CHEMICAL DISPENSER

- Holds up to 3" (7.6cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for all Intex pools
- Tablets not included



#29041

2-IN-1 FLOATING CHLORINE DISPENSER WITH THERMOMETER

#29043 / E  
2-IN-1 FLOATING CHLORINE DISPENSER WITH THERMOMETER

Pool maintenance has never been easier! Our dual function floating chlorine dispenser with thermometer dispenses 1" chlorine or bromine tablets. The adjustable control ring allows you to regulate the amount of chlorine dispensed in your pool, and with a built-in thermometer, you will always know the water temperature in your pool. An essential pool maintenance accessory that will allow you to spend less time cleaning and more time swimming!

- For use with 1" (2.54cm) chlorine or bromine tablets
- Suitable for use in Intex spas and pools up to 12' / 3.66m diameter
- Built-in thermometer
- Made of durable non-corrosive polypropylene material
- Adjustable control ring for chlorine feed rate
- Tablets not included



#29043



POOL DRAIN PUMP

#28605E  
POOL DRAIN PUMP

- Pumps up to 950 gallons (3595 liters) of water per hour with 16' (5m) long drain hose
- Power cord length: 25' (7.6m)
- Maximum operating water depth: 4' (1.22m)
- IPX8 waterproof housing
- Includes 1-1/4" x 16' (32mm x 5m) drain hose
- Adaptor for garden hose attachment
- Shelf box



#28605 #28606

#28606  
POOL DRAIN PUMP


- Same as 28605 except 220-240V
- Power cord length: 33' (10m)
- Shelf box



FILTER CARTRIDGES

- Easy to clean dacron filter material
- Shrink wrapped with litho label

Replace Filter Cartridge Every Two Weeks



#29007

#29000

#29005



|         | Type | For Filter Pump Item#                         | Case Pack | Case Weight lb (kg) |
|---------|------|-----------------------------------------------|-----------|---------------------|
| 29007/E | H    | 28601 / 28602                                 | 12 ea     | 2.7 (1.2)           |
| 29000/E | A    | 28603 / 28604 / 28637 / 28638 / 28635 / 28636 | 6 ea      | 2.9 (1.3)           |
| 29002/E | A    | 28603 / 28604 / 28637 / 28638 / 28635 / 28636 | 6 ea      | 5.4 (2.5)           |
| 29003/E | A    | 28603 / 28604 / 28637 / 28638 / 28635 / 28636 | 6 ea      | 7.2 (3.3)           |
| 29005/E | B    | 28633 / 28634                                 | 6 ea      | 7.4 (3.4)           |



#29000 / E  
Filter Cartridge Pack



#29002 / E  
Filter Cartridge Twin Pack



#29003 / E  
Filter Cartridge Tri-Pack



Filter cartridge displays serve as an excellent POP to merchandise your cartridges in store!



POOL COVERS

- Rope ties
- Drain holes to prevent water accumulation
- Shelf box

| TYPE                                             | ITEM#     | FITS                         | CASE PACK | CASE WEIGHT<br>lb (kg) |
|--------------------------------------------------|-----------|------------------------------|-----------|------------------------|
| Rectangular<br>Pool Cover<br>overhang: 8" (20cm) | 28038 / E | 118" x 79" (3.00m x 2.00m)   | 6 ea      | 29.3 (13.3)            |
|                                                  | 28037 / E | 157½" x 78¾" (4.00m x 2.00m) | 6 ea      | 35.4 (16.1)            |
|                                                  | 28039 / E | 177¼" x 86⅝" (4.50m x 2.20m) | 6 ea      | 47.1 (21.4)            |
| Easy Set® Pool<br>Cover<br>overhang: 12" (30cm)  | 28020 / E | 8' (2.44m)                   | 6 ea      | 21.8 (9.9)             |
|                                                  | 28021 / E | 10' (3.05m)                  | 6 ea      | 32.3 (14.7)            |
|                                                  | 28022 / E | 12' (3.66m)                  | 6 ea      | 44.0 (20.0)            |
|                                                  | 28026 / E | 13' (3.96m)                  | 4 ea      | 33.8 (15.4)            |
|                                                  | 28023 / E | 15' (4.57m)                  | 4 ea      | 41.1 (18.7)            |
| Round Pool<br>Cover<br>overhang: 10" (25cm)      | 28030 / E | 10' (3.05m)                  | 6 ea      | 35.2 (16.0)            |
|                                                  | 28031 / E | 12' (3.66m)                  | 6 ea      | 46.9 (21.3)            |
|                                                  | 28032 / E | 15' (4.57m)                  | 4 ea      | 45.3 (20.6)            |

DELUXE POOL COVERS

- UV-resistant polyethylene material
- Rope ties
- Drain holes to prevent water accumulation
- Shelf box

| TYPE                                        | ITEM#     | FITS        | CASE PACK | CASE WEIGHT<br>lb (kg) |
|---------------------------------------------|-----------|-------------|-----------|------------------------|
| Deluxe Pool<br>Cover<br>overhang: 8" (20cm) | 28040 / E | 16' (4.88m) | 4 ea      | 33.4 (15.2)            |
|                                             | 28041 / E | 18' (5.49m) | 3 ea      | 30.2 (13.7)            |

#28037 #28038 #28039



#28020 #28021 #28022 #28023 #28026



#28030 #28031 #28032



#28040 #28041



SOLAR POOL COVERS

| TYPE                                                             | ITEM#     | FITS                      | SIZE                       | CASE PACK | CASE WEIGHT<br>lb (kg) |
|------------------------------------------------------------------|-----------|---------------------------|----------------------------|-----------|------------------------|
| Easy Set®<br>thickness: 120 micron<br>(110g/m²)                  | 29020 / E | 8' (2.44m)                | 81" (2.06m)                | 3 ea      | 4.1 (1.9)              |
|                                                                  | 29021 / E | 10' (3.05m)               | 114" (2.90m)               | 3 ea      | 7.3 (3.3)              |
|                                                                  | 29022 / E | 12' (3.66m)               | 137" (3.48m)               | 2 ea      | 6.8 (3.1)              |
| Easy Set® &<br>Frame pools<br>thickness: 120 micron<br>(110g/m²) | 29023 / E | 15' (4.57m)               | 176" (4.48m)               | 2 ea      | 14.2 (6.5)             |
|                                                                  | 29024 / E | 16' (4.88m)               | 185" (4.70m)               | 2 ea      | 16.0 (7.3)             |
|                                                                  | 29025 / E | 18' (5.49m)               | 212" (5.38m)               | 1 ea      | 10.3 (4.7)             |
| Easy Set® &<br>Frame pools<br>thickness: 160 micron<br>(150g/m²) | 29026 / E | 18' x 9' (5.49 x 2.74m)   | 212" x 100" (5.38 x 2.53m) | 1 ea      | 6.8 (3.1)              |
|                                                                  | 29027 / E | 24' x 12' (7.32 x 3.66m)  | 282" x 136" (7.16 x 3.46m) | 1 ea      | 11.2 (5.1)             |
|                                                                  | 29028 / E | 13' 1½" x 6' 6¾" (4 x 2m) | 149" x 73" (3.78 x 1.86m)  | 2 ea      | 7.7 (3.5)              |
|                                                                  | 29029 / E | 16' x 8' (4.88 x 2.44m)   | 187" x 92" (4.76 x 2.34m)  | 1 ea      | 5.9 (2.7)              |
|                                                                  | 29030 / E | 32' x 16' (9.75 x 4.88m)  | 378" x 183" (9.60 x 4.66m) | 1 ea      | 20.0 (9.1)             |

POOL GROUND CLOTH

#28048 / E

- Durable material
- Provides added protection for pool bottom
- Fits 8'/10'/12'/15' (2.44/3.05/3.66/4.57m)
- Easy Set® and frame pools
- 15½' (4.72m) square
- Shelf box
- 2 ea, 9.0 lb (4.1 kg)



#28048

FLOOR PROTECTOR

#29081 / E  
Interlocking Padded Floor Protector

- Provides added protection and cushion around pool & play area
- Made with durable polyethylene material
- Easily stores and transports
- Sold in packs of 8 pieces, 20 ft² (1.9 m²) of interlocking tiles
- Piece Size: 20" x 20" x ¾" (50cm x 50cm x 1cm)
- 6 ea, 23.9 lb (10.9 kg)



#29081

#29020 #29021 #29022 #29023 (shown) #29024 #29025



#29026 (shown) #29027 #29028 #29029 #29030



- Helps keep pool water warmer
- Easy to use
- Available in 11 sizes
- Economical
- Carry bag



English/Spanish  
and multi-language  
international packaging available



POOL MAINTENANCE KIT

- #28002 / E
- Includes 94" (2.39m) telescoping aluminum pole for use with 16' (4.88m) and below pools
  - Interchangeable vacuum and skimmer heads
  - Shelf box  
4 ea, 14.0 lb (6.4 kg)



DELUXE POOL MAINTENANCE KIT

- #28003 / E
- Includes 110" (2.79m) telescoping aluminum pole for use with 18' (5.49m) diameter pools and above
  - Minimum filtration pump flow rate required: 1,000 gal/h (3,785L/h)
  - Vacuum sucks debris off the pool floor and through the filter
  - Attaches to the outlet connector in the pool with a 24' 7" (7.50m) hose
  - Durable and deep mesh skimmer net
  - Shelf box  
3 ea, 24.8 lb (11.3 kg)



POOL LADDERS

- Coated steel frame
- Hi-impact composite steps
- Shelf box
- Not available in Europe



#28064 #28065 #28066 #28067

DELUXE POOL LADDERS WITH REMOVABLE STEPS

These pool ladders come with easily removable steps. When the pool is not in use, they can be quickly detached and removed from the pool area. Replacing them is simple and quick. Simply set the steps in the base, then snap and lock them into place.

Available in three sizes, designed for 36"-42" (91cm-1.07m), 48" (1.22m) and 52" (1.32m) pools.

U.S. Patent No. 9,074,384



|         | For 36" (91cm) wall height | For 42" (1.07m) wall height | For 48" (1.22m) wall height | For 52" (1.32m) wall height | Removable Steps | Case Pack | Case Weight lb (kg) |
|---------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-----------|---------------------|
| 28064/E | ✓                          | –                           | –                           | –                           | –               | 3 ea      | 53.2 (24.2)         |
| 28065/E | –                          | ✓                           | –                           | –                           | –               | 3 ea      | 55.9 (25.4)         |
| 28066/E | –                          | –                           | ✓                           | –                           | –               | 3 ea      | 64.3 (29.2)         |
| 28067/E | –                          | –                           | –                           | ✓                           | –               | 2 ea      | 50.7 (23.0)         |
| 28075/E | ✓                          | ✓                           | –                           | –                           | ✓               | 3 ea      | 73.4 (33.4)         |
| 28076/E | –                          | –                           | ✓                           | –                           | ✓               | 2 ea      | 55.4 (25.2)         |
| 28077/E | –                          | –                           | –                           | ✓                           | ✓               | 2 ea      | 60.0 (27.3)         |



## MULTI-COLOR LED POOL SPRAYER

#28089 / E

Make your pool a beautiful oasis with this multi-color LED pool sprayer. Enjoy the light show as your family swims into the night with the multi-colored beams shining through a water cascade.

- Lights in 4 bright colors: White, Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Fits all round and rectangular Prism Frame™ and Ultra Frame™ pools (not suitable for Easy Set®, Oval, and Graphite Gray Panel™ pools)
- Filtration pump flow rate required: 1,000–3,200 gal/h (3,785–12,112L/h)
- Includes one adaptor A to fit all Intex pool fittings: 1¼" (32mm) or 1½" (38mm) hoses  
4 ea, 18.2 lb (8.3 kg)



## MULTI-COLOR LED WATERFALL CASCADE

#28090 / E

Add a touch of tranquility to your above ground pool with this easy-to-install multi-color LED waterfall. The sheer and gentle cascade of water will enhance your swimming experience, producing refreshing negative ions at the water surface and bringing you serenity and relaxation while you swim.

- Lights in 3 bright colors: Red, Blue, and Green
- Built-in hydroelectric generator powers LED lighting (no batteries or electrical connection required)
- Fits all round and rectangular Metal Frame, Prism Frame™ and Ultra XTR™ Frame pools (not suitable for Easy Set®, and Graphite Gray Panel™ pools)
- Filtration pump flow rate required: 1,000–3,200 gal/h (3,785–12,112L/h)
- Adjustable mounting bracket
- Include bypass valve kit
- Shelf box  
1 ea, 9.9 lb (4.5 kg)



## POOL BENCH

#28053 / E

Feel like taking a little break from swimming and water play and just relaxing in your above ground pool? The convenient Intex foldable Pool Bench makes it easy – just unfold the bench, sit and relax for a while without having to leave the pool. Children will love having a surface to rest on within the pool as well.

- Easily attaches to all frame pools, such as Intex Metal Frame, Prism Frame™ and Ultra XTR™ Frame pools
- Simply place over the side of the pool and tighten the included hardware – no tools required
- Folds flush with the sidewall, so it's never in the way
- Wide contoured seating surface and backrest for comfortable use
- Maximum load capacity: 220 lb (100kg)  
2 ea, 38.9 lb (17.7 kg)



## SOLAR COVER REEL

#28051 / E

There are many great benefits in covering your above ground pool, but the hassles of applying and removing the cover can be daunting. Intex's Solar Cover Reel is conveniently designed to easily attach to the metal frame of your pool, and it is size adjustable, making the covering and uncovering of the pool simple and easy! A locking feature on the handle will prevent the cover from unintentional unrolling. Enjoy the benefits of your solar pool cover with the hassle-free Solar Cover Reel.

- Heavy duty construction with interlocking aluminum shaft
- Easy to install and use
- Significantly extends service life of solar cover
- Non-corrosive plastic hand crank with lock
- Suitable for rectangular frame pools with width from 9' – 16' (2.74m – 4.88m)
- Solar cover not included
- Shelf box  
2 ea, 34.9 lb (15.9 kg)





CLEANING ACCESSORIES

#29050 / E  
Leaf Skimmer

- Remove debris off pool water surface
- Improved design for easier debris collection
- Durable mesh skimmer net
- Compatible with 1½" (26.2mm) inner diameter telescoping aluminum pole (item# 29054, not included)  
12 ea, 6.4 lb (2.9 kg)

#29051 / E  
Leaf Rake

- Scoop debris from pool floor
- Deep and durable mesh skimmer net
- Compatible with 1½" (29.8mm) inner diameter telescoping aluminum pole (item# 29055, not included)  
12 ea, 7.7 lb (3.5 kg)

#29052 / E  
10" (254mm) Wall Brush

- Straight standard brush for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (26.2mm) inner diameter telescoping aluminum pole (item# 29054, not included)  
12 ea, 4.5 lb (2.0 kg)

#29053 / E  
16" (406mm) Curved Wall Brush

- Curved brush ideal for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (29.8mm) inner diameter telescoping aluminum pole (item# 29055, not included)  
12 ea, 6.7 lb (3.0 kg)



CLEANING KITS

#29056 / E  
Basic Cleaning Kit

- Includes leaf skimmer, wall brush and vacuum head
- Vacuum head with reusable debris bag, requires connection with garden hose for usage
- Durable mesh skimmer net
- Wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (26.2mm) inner diameter lightweight telescoping aluminum pole (item# 29054, not included)  
6 ea, 11.2 lb (5.1 kg)

#29057 / E  
Deluxe Cleaning Kit

- Includes leaf rake, curved wall brush and vacuum head
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- Curved wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1½" (29.8mm) inner diameter lightweight telescoping aluminum pole (item# 29055, not included)  
6 ea, 26.6 lb (12.1 kg)



TELESCOPING POLES

#29054 / E  
94" (2.39m) Telescoping Aluminum Pole

- Ideal for attaching accessories to clean pools
- 94" (2.39m) lightweight telescoping aluminum pole
- 1½" (26.2mm) inner diameter  
24 ea, 30.7 lb (13.9 kg)

#29055 / E  
110" (2.79m) Telescoping Aluminum Pole

- Ideal for attaching accessories to clean pools
- 110" (2.79m) lightweight telescoping aluminum pole
- 1½" (29.8mm) inner diameter  
24 ea, 37.9 lb (17.2 kg)



ACCESSORY HOSES

#29059 / E  
Accessory Hose 1¼" (32mm)

- Suitable for Intex filter pumps and saltwater systems that use 1¼" (32mm) hoses
- 59" (1.50m) length hose  
9 ea, 5.1 lb (2.3 kg)

#29060 / E  
Accessory Hose 1½" (38mm)

- Suitable for Intex filter pumps and saltwater systems that use 1½" (38mm) hoses
- 59" (1.50m) length hose  
8 ea, 10.8 lb (4.9 kg)

#29083 / E  
Deluxe Vacuum Hose

- 25' (7.60m) length
- Lightweight and flexible
- Removable end-fittings for easy cleaning and assembly
- Measures 1½" (38mm) in diameter  
6 ea, 22.7 lb (10.3 kg)



FLITRATION MEDIA

#29058 / E  
Glass Filtration Media

Sand Filtration is one of the most commonly used methods of cleaning pools. But Intex's finely crushed Glass Filtration Media offers a better cleaning solution than sand.

- Cleans pool water more effectively
- Lasts 80% longer between replacements
- Requires 50% less backwashing
- Needs 20% less water to backwash
- For use in all Sand Filtration systems
- Particle size: 0.4 – 0.8mm
- 55 lb (25 kg) bag  
36 ea, 2,076.8 lb (944.0 kg)





# BACKYARD LED LIGHTING

Illuminate your backyard party with these decorative backyard LED accent lights. The perfect backyard décor, these stylish, inflatable ottoman and lights are waterproof and will enhance the ambiance of any outdoor setting. Each comes with a rechargeable battery that lasts up to 5 hours. You can set the light to either a warm white or a smooth changing multi-color setting. The stunning range of LED light colors include green, blue, purple and red.



## #68695/E LED FLOATING GLOBE

- 35" x 31" (89cm x 79cm) inflated
- Great for indoor or outdoor use
- IPX8 waterproof
- 5-hour auto shut-off
- Rechargeable 2500mAh battery
- 12 white LED lights, 2.4W
- 1 RGB LED light, 3W
- USB cord for charging (wall charger not included)
- Repair patch
- Shelf box
- 3 ea, 11.9 lb (5.4 kg)



## #68697/E LED OTTOMAN

- 34" x 13" (86cm x 33cm) inflated
- Great for indoor or outdoor use
- IPX8 waterproof
- 5-hour auto shut-off
- Rechargeable 2500mAh battery
- 12 white LED lights, 2.4W
- 1 RGB LED light, 3W
- USB cord for charging (wall charger not included)
- Repair patch
- Shelf box
- 3 ea, 10.3 lb (4.7 kg)



## #68693/E LED FLOATING CRESCENT

- 53" L x 17" W x 35" H (1.35m x 43cm x 89cm) inflated
- Great for indoor or outdoor use
- IPX8 waterproof
- 5-hour auto shut-off
- Rechargeable 2500mAh battery
- 12 white LED lights, 2.4W
- 1 RGB LED light, 3W
- USB cord for charging (wall charger not included)
- Repair patch
- Shelf box
- 3 ea, 8.4 lb (3.8 kg)







SOLAR POWERED LED FLOATING POOL LIGHT

Illuminate your summer evenings with our Solar Powered Floating LED Pool Light. Whether you simply wish to illuminate your pool with static white light or create a special atmosphere with smoothly changing colors, this floating pool light is the perfect solution. The light turns on automatically in the dark and turns itself off once exposed to light. This versatile floating light provides a fun pool environment for all occasions.



- #28695 / E**  
**Solar Powered LED Floating Light**
- 2 lighting modes: static white light or smooth color change mode
  - AUTO ON/ OFF MODE:  
Auto on at night / auto off at sunrise
  - 2-hour auto shut-off (static mode)
  - 5-hour auto shut-off (smooth color change mode)
  - Shelf box 8 ea, 9.6 lb (4.4 kg)



MAGNETIC LED POOL-WALL LIGHTS

Lighting up an above ground pool has always been difficult. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light.

The Intex LED light uses magnetic technology to create a light system that safely generates low voltage current THROUGH the pool's sidewall to a powerful LED light inside and outside the pool. The advanced, energy efficient LED light delivers more brightness to your pool than a conventional 50-watt halogen pool light. So now, above ground pool owners can light their pools up just like in-ground pool owners, but without the expense and damage of cutting a hole in their pool.

The LED Pool-Wall light is the ultimate in flexibility and can be attached to any sidewall in any location – and be easily moved to different parts of the pool for different lighting effects. If the inner light unit becomes separated from the outer power source, it will automatically float to the surface for easy retrieval.

Beauty, convenience, innovation, performance, and value – all part of the Intex LED Pool-Wall light!



English/Spanish and multi-language international packaging available

**#28697**  
**#28698**

**#28697E**


- 110-120V
- LED light
- Magnetic wall mounting system
- Easily illuminates up to 24' (7.32m) pools
- Shelf box 4 ea, 12.8 lb (5.8 kg)

**#28698**

- 220-240V
- LED light
- Magnetic wall mounting system
- Easily illuminates up to 24' (7.32m) pools
- Shelf box 4 ea, 14.2 lb (6.5 kg)



- Lights both inside and outside of the pool
- Smooth changing multi-color
- Switches for mode selection



The outside unit transmits power safely and wirelessly to inside the underwater LED where the magnetic technology holds the two parts together.



| Features            | Benefits                                                                                                                                                                                                                                           |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LED light           | Extra bright, long-lasting illumination                                                                                                                                                                                                            |
| Magnetic hook-up    | <ul style="list-style-type: none"><li>• Safely transfers power directly through pool sidewall so light level will never fade</li><li>• No batteries to recharge</li><li>• Light is flexible and can be easily moved around pool sidewall</li></ul> |
| Bulti-in floatation | If light becomes separated from magnet, it will automatically float to surface for easy retrieval                                                                                                                                                  |
| Below 12V           | Low electricity level; safe to use around pool and water                                                                                                                                                                                           |



# COMMITMENT TO EXCELLENCE

In today's rapidly evolving and highly competitive environment, this translates into a total commitment to product quality, including conformity to all relevant safety & quality regulations and standards. Examples include:

- EN 16927, Safety and test methods for mini pools (European standard)
- EN 16582, Safety and test methods for domestic swimming pools other than mini pools (European standard)
- Regulation (EC) No.1907/2006 "Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"
- EN 71 "Safety of toys" (European standard)
- EN 13138 "Buoyant aids for swimming instruction" (European standard)
- EN ISO 25649 "Floating leisure articles for use on and in the water" (European/ International standard for air mats, lounges and other similar items)
- EN 60335-2-41 "Safety of household and similar electrical appliances, particular requirements for pumps" (European standard for water pumps)
- ISO 6185-1 "Inflatable boats" (International standard for Sports Boats)
- NMMA-ABYC (USA standard for hi-end sports boats)
- ASTM F963 "Standard Consumer Safety Specification for Toy Safety" (USA toy standard)
- ANSI/APSP-4 "AGP standard" (USA standard for above ground pools)
- CPSIA "Consumer Product Safety Improvement Act"

- (USA regulation of consumer and children's products)
- ASTM F2666 "Small pools standard" (USA standard for pools under 36" water depth)
  - UL1450 "Electric inflators" (USA standard for electric inflators)
  - UL1081 "Swimming pool pumps, filters and chlorinators" (USA standard)
  - UL1563 "Electric spas" (USA standard for Spa)

Intex's commitment to excellence extends to helping our environment and supporting the ecosystem. It begins with product design. Intex's filter pumps operate on much lower amps than most filter pumps in the market, reducing electricity consumption. Our saltwater systems clean pools using only natural salt, eliminating the ongoing need for environmentally unfriendly packaged chlorine.

Intex also operates one of the most comprehensive recycling programs in the industry. We are one of the earliest companies in China to successfully obtain a license to ship consumer's returns in the original package back to China to be recycled. Therefore, used materials and product returns are prevented from going to landfills and instead re-used in the manufacturing process where up to 10% of annually produced PVC is recycled.

Intex designs all of our own packaging for our products. We constantly challenge our methods of packaging to improve

efficiency and reduce waste. More compact packaging techniques save cardboard while cutting down on space utilization, saving freight and fuel consumption. As a manufacturer, Intex knows it has a responsibility to manage the amount of waste produced. As an employer of over ten thousand people, we also encourage our own employees to recycle, reduce waste, and be conscious of the environment. Starting from recycling corners for all our worldwide office facilities, our factory has worked with the local government as well as through sponsorships with key partners to strengthen our efforts to be more eco-friendly. Intex has worked to provide incentives and seminars to employees as well as setting targets to reduce energy consumption. In addition, Intex has made significant investment in technology to achieve these goals. For example, we have implemented a frequency converter system which converts diesel to natural gas, installed solar water heaters and set up a recycled sewage system, and invested in equipment that reduces gas emissions.

From product design, to more efficient processes that save energy and reduce waste, to a world class recycling program, to more energy efficient offices, the people at Intex are striving to provide the best value products anywhere while constantly keeping our global ecosystem in mind.





# INTEX®

## GLOBAL CUSTOMER SERVICE



Intex Customer Service Center



Phone operators are ready to answer customer questions quickly and accurately



Extensive training ensures that Customer Service Centers are staffed with knowledgeable members

In addition to the products featured in this catalog, Intex also offers replacement & repair parts for many items. Please contact our Intex representatives or the following Customer Service locations for additional information.

|                                                                                                                                                                      |                                                                                                                                         |                                                                                                                                             |                                                                                                                                       |                                                                                                                                                                             |                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ALGERIA<br>SARL NEW TOYS IMPORT & EXPORT<br>Tel: +213 36 449042<br>groupeu_beldjarou@yahoo.fr                                                                        | COSTA RICA<br>CENTURY USA, LLC<br>Tel: (561) 495-0648<br>sales@centuryusa.com                                                           | FRANCE<br>UNITEK / INTEX SERVICE FRANCE S.A.S<br>Conseil avant achat : 0890 71 20 39 (0,25/min)<br>Service Après-Vente : www.intex.fr       | NETHERLAND<br>INTEX TRADING B.V.<br>Tel: 31-(0)165-593939<br>service@intexcorp.nl<br>www.intexcorp.nl                                 | PORTUGAL<br>MEDIA CELL SOLUTIONS S.L. (MCS)<br>Tel: 211-104-361<br>sacpt@intexcorp.es<br>www.intexserviceiberia.com                                                         | U.A.E., BAHRAIN, KUWAIT, OMAN<br>FIRST GROUP INTERNATIONAL<br>Tel: 00971-4-800INTEX(46839) / 00971-4-4421888<br>joseph@firstgroupintl.com<br>anne@firstgroupintl.com<br>www.firstgroupinternational.com |
| ARGENTINA<br>JARSE INDUSTRIAL Y COMERCIAL S.A.<br>Tel: (5411)4308-2606<br>info@intexargentina.com.ar<br>postventa@intexargentina.com.ar<br>www.intexargentina.com.ar | CYPRUS<br>A.HADJIKYRIACOS SPORTING CO., LTD.<br>Tel: 00357-26961237<br>hadjico@spidernet.com.cy<br>eftyhios87@gmail.com                 | GERMANY<br>STEINBACH VERTRIEBSGMBH<br>intexservice@steinbach.at<br>helpdesk.steinbach.at<br>eftyhios87@gmail.com                            | NEW ZEALAND<br>HAKA NEW ZEALAND LIMITED<br>Tel: 649-4159213 / 0800 634434<br>anne@firstgroupintl.com<br>www.hakanewzealand.com        | RUSSIA<br>LLC INTEXSERVICERUS<br>Tel: +7 985 443 38 12<br>intexservicegood@gmail.com<br>www.intexservice.ru                                                                 | UK<br>JOHN ADAMS LEISURE LTD<br>Tel: 0333 400 4548<br>intex@johnadams.co.uk<br>www.intexwetset.co.uk                                                                                                    |
| AUSTRALIA<br>IDEAL SOURCES PTY LTD<br>Tel: 1800-359-947<br>enquiries@idealsources.com.au<br>www.idealsources.com.au                                                  | CZECH REPUBLIC<br>INTEX TRADING S.R.O.<br>Tel: +420-267-313-188<br>servis@intexcorp.cz                                                  | GUATEMALA<br>CENTURY USA, LLC<br>Tel: (561) 495-0648<br>sales@centuryusa.com                                                                | NICARAGUA<br>SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A.<br>Tel: 507-300-3800<br>suproadmin@supropanama.com<br>www.supropanama.com | SAUDI ARABIA<br>SAUDI ARABIAN MARKETING & AGENCIES & CONTRACTING COMPANY LTD-(SAMACO TOY)<br>Tel: 966-2-693 8496 / 800-7575-750<br>Intex@samaco.com.sa<br>www.samaco.com.sa | UNITED STATES<br>INTEX RECREATION CORP.<br>Tel: 1-800-234-6839<br>www.intexcorp.com                                                                                                                     |
| AUSTRIA<br>STEINBACH VERTRIEBSGMBH<br>intexservice@steinbach.at<br>helpdesk.steinbach.at                                                                             | DENMARK<br>AMO TOYS<br>Tel: 45-50805002<br>danmark@intexservicenordic.com<br>www.intexservicenordic.com                                 | HONDURAS<br>SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A.<br>Tel: 507-300-3800<br>suproadmin@supropanama.com<br>www.intexservicenordic.com | NORWAY<br>AMO TOYS<br>Tel: 47-33459496<br>norge@intexservicenordic.com<br>www.intexservicenordic.com                                  | SOUTH AFRICA<br>COALITION TRADING 444 CC<br>Intex Helpline: 071 890 6360 or 071 590 2498<br>info@intexsa.co.za<br>www.intexsa.co.za                                         | URUGUAY<br>LIBRERIAS DEL LITORAL S.A.<br>Tel: 598-24070850<br>servicioalcliente@intexuruguay.com.uy<br>www.intexuruguay.com.uy                                                                          |
| BELGIUM / LUXEMBURG<br>NV SIMBA TOYS BENELUX SA<br>Tel: 070-24-67-68 (0,15/min)<br>www.intexsupport.be                                                               | DOMINICAN REPUBLIC<br>CENTURY USA, LLC<br>Tel: (561) 495-0648<br>sales@centuryusa.com                                                   | HUNGARY<br>RECONTRA LTD./RICKI LTD.<br>Tel: +36 30 228 7761<br>service@recontra.hu<br>www.intexcorp.hu                                      | PAKISTAN<br>TOY CENTRE<br>Tel: +92 42 37656133 / +92 42 7631933<br>toycentreh@hotmail.com                                             | SOUTH KOREA<br>HIGHEL INC.<br>Tel: 82-31-977-1029                                                                                                                           | VENEZUELA<br>CENTURY USA, LLC<br>Tel: (561) 495-0648<br>sales@centuryusa.com                                                                                                                            |
| BRASIL<br>KONESUL BRASIL DISTRIBUIDORA LTDA – ME<br>Tel: +55 31 3110-8866<br>servico@intexbrasil.com<br>www.intexbrasil.com                                          | EASTERN EUROPE<br>INTEX TRADING S.R.O.<br>Tel: +420-267-313-188<br>servis@intexcorp.cz                                                  | ISRAEL<br>ALFIT TOYS LTD<br>Tel: +972-072-2564681<br>WT-052-3988515<br>sabinaz@chagim.co.il<br>www.intex.co.il                              | PANAMA<br>SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A.<br>Tel: 507-300-3800<br>suproadmin@supropanama.com<br>www.supropanama.com    | SINGAPORE<br>UNIVON (PRIVATE) LIMITED<br>Tel: 65-96196212 / 65693133<br>ng.cg@univon.com.sg                                                                                 |                                                                                                                                                                                                         |
| CANADA<br>INTEX RECREATION CORP.<br>Tel: 1-800-234-6839<br>www.intexcorp.com                                                                                         | ECUADOR<br>SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A.<br>Tel: 507-300-3800<br>suproadmin@supropanama.com<br>www.supropanama.com     | ITALY<br>EGO SRL<br>Tel: 199-12-19-78<br>customer@intexitalia.com<br>www.intexitalia.com                                                    | PARAGUAY<br>SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A.<br>Tel: 507-300-3800<br>suproadmin@supropanama.com<br>www.supropanama.com  | SPAIN<br>MEDIA CELL SOLUTIONS S.L. (MCS)<br>Tel: 902-767-010<br>sac@intexcorp.es<br>www.intexserviceiberia.com                                                              |                                                                                                                                                                                                         |
| CHILE<br>SILFA<br>Tel: 56-2-23399000 / 56-2-23399004<br>tiempolibre.st@silfa.cl<br>www.intex-chile.cl                                                                | EGYPT<br>M.R. IMPORT & EXPORT<br>Tel: 202-2414-8550<br>ramyelhousamy@gmail.com<br>www.mrimportandexport.com                             | JAPAN<br>NOZOMI TRADING CO., LTD<br>Tel: 0797-72-2561<br>m.makino@nozomitradng.co.jp                                                        | PERU<br>COMEXA S.A.<br>Tel: 51-1-446-9014<br>postventa@comexa.com.pe<br>www.intexperu.com.pe                                          | SWEDEN<br>AMO TOYS<br>Tel: 46-701474772<br>sverige@intexservicenordic.com<br>www.intexservicenordic.com                                                                     |                                                                                                                                                                                                         |
| CHINA<br>INTEX INDUSTRIES (XIAMEN) CO., LTD<br>Tel: (086)592-6893860(EXT#87)<br>xmchinasales@intexcorp.com.cn                                                        | EL SALVADOR<br>SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A.<br>Tel: 507-300-3800<br>suproadmin@supropanama.com<br>www.supropanama.com | LEBANON<br>TOY MARKET TRADING S.A.L.<br>Tel: 961-1-500499 (EXT 122)<br>info@toymarkettrading.com<br>www.toymarkettrading.com                | PHILIPPINE<br>BAN KEE TRADING, INC. / FUNTIME SEVICE CENTER<br>Tel: 632-7403432<br>harold.miranda@bankee.com.ph                       | SWITZERLAND<br>GWM AGENCY AG<br>Tel: 0900 455 456<br>gwm@gwm.ch<br>www.intex-schweiz.ch<br>www.intexfaq.ch                                                                  |                                                                                                                                                                                                         |
| COLOMBIA<br>CENTURY USA, LLC<br>Tel: 18000410200<br>servicentury@centuryglobal.com.co                                                                                | FINLAND<br>AMO OY<br>Tel: 020-163 0530<br>kuluttajapalvelu@amo.fi<br>www.intexservicenordic.com                                         | MEXICO<br>KAY INTERNACIONAL S.A. DE C.V.<br>Tel: 01-800-347-4020 / (55) 9172-8035<br>hola@intex.tienda<br>www.intex.tienda                  | POLAND<br>KATHAY HASTER<br>Tel: +48-61-8498-334<br>serwis@kathay.com.pl<br>www.intexdevelopment.pl                                    | THAILAND<br>LUCKY WAY CO.,LTD<br>Tel: 0066-2-8481166<br>luckywayth@gmail.com                                                                                                |                                                                                                                                                                                                         |

## PRODUCT LOCATOR TABLE

| ITEM # | DESCRIPTION            | PAGE | ITEM # | DESCRIPTION             | PAGE | ITEM # | DESCRIPTION          | PAGE | ITEM # | DESCRIPTION             | PAGE |
|--------|------------------------|------|--------|-------------------------|------|--------|----------------------|------|--------|-------------------------|------|
| 26165  | 15' X 42" EASY SET®    | 13   | 26711  | 12' X 30" PRISM         | 17   | 28077  | 52" POOL LADDER      | 47   | 28698  | POOL-WALL LIGHT         | 55   |
| 26166  | 15' X 42" EASY SET®    | 13   | 26712  | 12' X 30" PRISM         | 17   | 28089  | LED POOL SPRAYER     | 48   | 29000  | FILTER CARTRIDGE A      | 43   |
| 26167  | 15' X 48" EASY SET®    | 13   | 26715  | 12' X 39" PRISM         | 17   | 28090  | WATERFALL            | 48   | 29002  | FILTER CARTRIDGE A      | 43   |
| 26168  | 15' X 48" EASY SET®    | 13   | 26716  | 12' X 39" PRISM         | 17   | 28101  | 6' X 20" EASY SET®   | 11   | 29003  | FILTER CARTRIDGE A      | 43   |
| 26175  | 18' X 48" EASY SET®    | 13   | 26719  | 14' X 42" PRISM         | 17   | 28110  | 8' X 30" EASY SET®   | 11   | 29005  | FILTER CARTRIDGE B      | 43   |
| 26176  | 18' X 48" EASY SET®    | 13   | 26720  | 14' X 42" PRISM         | 17   | 28111  | 8' X 30" EASY SET®   | 11   | 29007  | FILTER CARTRIDGE H      | 43   |
| 26325  | 16' X 48" ULTRA        | 27   | 26723  | 15' X 42" PRISM         | 17   | 28112  | 8' X 30" EASY SET®   | 11   | 29020  | 8' SOLAR COVER          | 45   |
| 26326  | 16' X 48" ULTRA        | 27   | 26724  | 15' X 42" PRISM         | 17   | 28120  | 10' X 30" EASY SET®  | 11   | 29021  | 10' SOLAR COVER         | 45   |
| 26329  | 18' X 52" ULTRA        | 27   | 26725  | 15' X 48" PRISM         | 19   | 28121  | 10' X 30" EASY SET®  | 11   | 29022  | 12' SOLAR COVER         | 45   |
| 26330  | 18' X 52" ULTRA        | 27   | 26726  | 15' X 48" PRISM         | 19   | 28122  | 10' X 30" EASY SET®  | 11   | 29023  | 15' SOLAR COVER         | 45   |
| 26333  | 20' X 48" ULTRA        | 27   | 26731  | 18' X 48" PRISM         | 19   | 28130  | 12' X 30" EASY SET®  | 11   | 29024  | 16' SOLAR COVER         | 45   |
| 26334  | 20' X 48" ULTRA        | 27   | 26732  | 18' X 48" PRISM         | 19   | 28131  | 12' X 30" EASY SET®  | 11   | 29025  | 18' SOLAR COVER         | 45   |
| 26339  | 24' X 52" ULTRA        | 27   | 26755  | 20' X 52" PRISM         | 19   | 28132  | 12' X 30" EASY SET®  | 11   | 29026  | 9' X 18' SOLAR COVER    | 45   |
| 26340  | 24' X 52" ULTRA        | 27   | 26756  | 20' X 52" PRISM         | 19   | 28141  | 13' X 33" EASY SET®  | 13   | 29027  | 12' X 24' SOLAR COVER   | 45   |
| 26355  | 18' X 9' X 52" ULTRA   | 29   | 26784  | 3M X 1.75M X 0.8M PRISM | 21   | 28142  | 13' X 33" EASY SET®  | 13   | 29028  | 4M X 2M SOLAR COVER     | 45   |
| 26356  | 18' X 9' X 52" ULTRA   | 29   | 26788  | 4M X 2M X 1M PRISM      | 21   | 28143  | 13' X 33" EASY SET®  | 13   | 29029  | 8' X 16' SOLAR COVER    | 45   |
| 26363  | 24' X 12' X 52" ULTRA  | 29   | 26791  | 16' X 8' X 42" PRISM    | 21   | 28157  | 15' X 33" EASY SET®  | 13   | 29030  | 16' X 32' SOLAR COVER   | 45   |
| 26364  | 24' X 12' X 52" ULTRA  | 29   | 26792  | 16' X 8' X 42" PRISM    | 21   | 28158  | 15' X 33" EASY SET®  | 13   | 29039  | POOL THERMOMETER        | 41   |
| 26367  | 24' X 12' X 52" ULTRA  | 29   | 26795  | 16½' X 9' X 48" PRISM   | 23   | 28200  | 10' X 30" METAL      | 15   | 29040  | CHLORINE DISPENSER      | 42   |
| 26368  | 24' X 12' X 52" ULTRA  | 29   | 26796  | 16½' X 9' X 48" PRISM   | 23   | 28201  | 10' X 30" METAL      | 15   | 29041  | CHLORINE DISPENSER      | 42   |
| 26373  | 32' X 16' X 52" ULTRA  | 29   | 26797  | 20' X 10' X 48" PRISM   | 23   | 28202  | 10' X 30" METAL      | 15   | 29043  | DISPENSER & THERMOMETER | 42   |
| 26374  | 32' X 16' X 52" ULTRA  | 29   | 26798  | 20' X 10' X 48" PRISM   | 23   | 28210  | 12' X 30" METAL      | 15   | 29050  | LEAF SKIMMER            | 50   |
| 26377  | 32' X 16' X 52" ULTRA  | 29   | 28000  | SURFACE SKIMMER         | 41   | 28211  | 12' X 30" METAL      | 15   | 29051  | LEAF RAKE               | 50   |
| 26378  | 32' X 16' X 52" ULTRA  | 29   | 28001  | AUTO POOL CLEANER       | 41   | 28212  | 12' X 30" METAL      | 15   | 29052  | 10" WALL BRUSH          | 50   |
| 26383  | 15'8" X 49" GRAPHITE   | 25   | 28002  | MAINTENANCE KIT         | 46   | 28241  | 15' X 48" METAL      | 15   | 29053  | 16" WALL BRUSH          | 50   |
| 26384  | 15'8" X 49" GRAPHITE   | 25   | 28003  | MAINTENANCE KIT         | 46   | 28242  | 15' X 48" METAL      | 15   | 29054  | POLE (94")              | 51   |
| 26643  | 1200 SAND FILTER       | 34   | 28020  | 8' X 12" POOL COVER     | 44   | 28253  | 18' X 48" METAL      | 15   | 29055  | POLE (110")             | 51   |
| 26644  | 1200 SAND FILTER       | 34   | 28021  | 10' X 12" POOL COVER    | 44   | 28270  | SMALL RECTANGULAR    | 9    | 29056  | CLEANING KIT            | 50   |
| 26645  | 2100 SAND FILTER       | 34   | 28022  | 12' X 12" POOL COVER    | 44   | 28271  | SMALL RECTANGULAR    | 9    | 29057  | CLEANING KIT            | 50   |
| 26646  | 2100 SAND FILTER       | 34   | 28023  | 15' X 12" POOL COVER    | 44   | 28272  | SMALL RECTANGULAR    | 9    | 29058  | GLASS FILTRATION MEDIA  | 51   |
| 26647  | 2800 SAND FILTER       | 34   | 28026  | 13' X 12" POOL COVER    | 44   | 28273  | SMALL RECTANGULAR    | 9    | 29059  | (1¼") HOSE              | 51   |
| 26648  | 2800 SAND FILTER       | 34   | 28030  | 10' X 10" POOL COVER    | 44   | 28601  | 330 FILTER PUMP      | 33   | 29060  | (1½") HOSE              | 51   |
| 26651  | 3000 SAND FILTER       | 34   | 28031  | 12' X 10" POOL COVER    | 44   | 28602  | 330 FILTER PUMP      | 33   | 29080  | FOOT BATH               | 41   |
| 26652  | 3200 SAND FILTER       | 34   | 28032  | 15' X 10" POOL COVER    | 44   | 28603  | 530 FILTER PUMP      | 33   | 29081  | FLOOR PROTECTOR         | 45   |
| 26665  | SALTWATER & OZONE      | 37   | 28037  | 4M X 2M POOL COVER      | 44   | 28604  | 530 FILTER PUMP      | 33   | 29083  | VACUUM HOSE             | 51   |
| 26666  | SALTWATER & OZONE      | 37   | 28038  | 3M X 2M POOL COVER      | 44   | 28605  | POOL DRAIN PUMP      | 42   | 57173  | MINI FRAME™ POOL        | 9    |
| 26667  | SALTWATER SYSTEM       | 36   | 28039  | 4.5M X 2.2M POOL COVER  | 44   | 28606  | POOL DRAIN PUMP      | 42   | 68693  | LED CRESCENT            | 53   |
| 26668  | SALTWATER SYSTEM       | 36   | 28040  | 16' POOL COVER          | 44   | 28620  | HANDHELD VACUUM      | 41   | 68695  | LED GLOBE               | 53   |
| 26669  | SALTWATER SYSTEM       | 36   | 28041  | 18' POOL COVER          | 44   | 28633  | 2500 FILTER PUMP     | 33   | 68697  | LED OTTOMAN             | 53   |
| 26670  | SALTWATER SYSTEM       | 36   | 28048  | 15.5' GROUND CLOTH      | 45   | 28634  | 2500 FILTER PUMP     | 33   |        |                         |      |
| 26675  | SALTWATER SYSTEM COMBO | 39   | 28051  | SOLAR COVER REEL        | 49   | 28635  | 1500 FILTER PUMP     | 33   |        |                         |      |
| 26676  | SALTWATER SYSTEM COMBO | 39   | 28053  | POOL BENCH              | 49   | 28636  | 1500 FILTER PUMP     | 33   |        |                         |      |
| 26679  | SALTWATER SYSTEM COMBO | 39   | 28064  | 36" POOL LADDER         | 47   | 28637  | 1000 FILTER PUMP     | 33   |        |                         |      |
| 26680  | SALTWATER SYSTEM COMBO | 39   | 28065  | 42" POOL LADDER         | 47   | 28638  | 1000 FILTER PUMP     | 33   |        |                         |      |
| 26700  | 10' X 30" PRISM        | 17   | 28066  | 48" POOL LADDER         | 47   | 28684  | POOL HEATER          | 40   |        |                         |      |
| 26701  | 10' X 30" PRISM        | 17   | 28067  | 52" POOL LADDER         | 47   | 28685  | SOLAR MAT            | 40   |        |                         |      |
| 26702  | 10' X 30" PRISM        | 17   | 28075  | 36" & 42" POOL LADDER   | 47   | 28695  | SOLAR FLOATING LIGHT | 54   |        |                         |      |
| 26710  | 12' X 30" PRISM        | 17   | 28076  | 48" POOL LADDER         | 47   | 28697  | POOL-WALL LIGHT      | 55   |        |                         |      |

### AGE GRADING



An icon indicates an item has an age recommendation

### TRADEMARKS

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Development Co., Ltd. and Intex Recreation Corp.

### ALL ELECTRICAL ACCESSORIES:

- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models)

As a part of our program of product development and improvement, the detail specifications of the products shown in this catalog may be changed. For current specifications on any product, please contact your supplier of Intex products.

Intex introduces three additional designations in our catalog that highlight additional safety features that are included on a number of our pools. These designations are:

**EG** Pools with these letters after the 5-digit item code incorporate a GFCI (ground fault circuit interrupter) built into the filter pump. The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in all 110-120V filter pumps and saltwater systems.

**EH** Pools with these letters after the 5-digit item code feature a GFCI (ground fault circuit interrupter) built into the filter pump. The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in all 110-120V filter pumps and saltwater systems.

**GN** Pools with the GN designation after the 5-digit item code either incorporate an RCD built into the 220-240V filter pump, or contain filter pumps that operate with a 12V step-down transformer, which reduces the voltage dramatically while retaining the same performance level as the 220-240V version. Both are designed to meet special national requirements in some EU markets.